

100% COTTON 4PLY

10 STYLES SIZES 0 TO 18 MTHS BOOK 3804 P4



Patons

10 STYLES

in 100% Cotton 4Ply

Easy to
Experienced
Skill Levels



5 Toys & 5 Garments





Styles **1 & 2**

Piglet & Bolero Jacket



Styles **3 & 4**


Rabbit & Lace Dress



Styles **5 & 6**

Horse & Stripe Sweater





Patons

100% Cotton 4 Ply Knits & Toys

| Style | Description | Instructions |
|-------|----------------------|--------------|
| 1 | Piglet Toy | p.9 |
| 2 | Bolero Jacket | p.12 |
| 3 | Rabbit Toy | p.14 |
| 4 | Lace Dress | p.17 |
| 5 | Horse Toy | p.19 |
| 6 | Stripe Sweater | p.22 |
| 7 | Doggie Toy | p.24 |
| 8 | Slip Stitch Cardigan | p.27 |
| 9 | Panda Toy | p.30 |
| 10 | Hoodie Vest | p.32 |

100% COTTON 4PLY

Patons 100% Cotton 4 Ply is a superb Mercerised Cotton yarn and has been very popular with Patons knitters for many years. This publication offers the cutest toys with garments to match for babies from newborn to 18 months.

These will make a wonderful gift for the newest member of the family!



| Helpful Hints | Page |
|---|------|
| Skill Levels | 8 |
| Knitting Abbreviations | 8 |
| Knitting Tension | 8 |
| French Knots | 11 |
| Wool Needle | 11 |
| Mattress Stitch Seam | 11 |
| Make1 (M1) | 13 |
| Flat Seam | 16 |
| Knitting Up Stitches | 16 |
| Straight Stitch Embroidery | 21 |
| Satin Stitch Embroidery | 21 |
| Sewing in Ends | 21 |
| Tips for Making Toys | 21 |
| Neatening the side edge of your cast-on | 23 |
| Casting On in 1 X 1 Rib | 26 |
| Sewing Set-In Sleeves | 26 |
| Tassels | 29 |
| Neatening Buttonholes | 31 |
| Picking up Dropped Stitches | 33 |
| Joining in Yarn | 34 |
| Fringes | 34 |
| Needle Conversion & Ruler | 34 |

Coats Crafts UK,
Green Lane Mill, Holmfirth,
West Yorkshire, HD9 2DX.
England.
Tel +44 (0) 1484 681881
Fax +44 (0) 1484 687920
Email enquiries.ccuk@coats.com
www.coatscrafts.com

www.coatscrafts.co.uk

SKILL LEVELS FOR KNITTING



BEGINNER

Beginner Projects for first-time knitters using basic knit and purl stitches. Minimal shaping.



INTERMEDIATE

Intermediate Projects with a variety of stitches, such as basic cables and lace, simple intarsia, double-pointed needles and knitting in the round needle techniques, mid-level shaping and finishing.



EASY

Easy Projects using basic stitches, repetitive stitch patterns, simple color changes, and simple shaping and finishing.



EXPERIENCED

Experienced Projects using advanced techniques and stitches, such as short rows, fair isle, more intricate intarsia, cables, lace patterns, and numerous color changes.

KNITTING ABBREVIATIONS

K = knit

P = purl

alt = alternate

beg = begin or beginning

cont = continue

dec = decrease, decreased, decreases or decreasing

foll = following or follows

garter st = every row knit

inc = increase, increased, increases or increasing

incl = including or inclusive

patt = pattern

psso = pass slipped stitch(es) over

purl fabric = 1 row purl, 1 row knit (purl side is right side)

rem = remain, remains, remainder or remaining

rep = repeat

sl = slip (slip all stitches knitways, unless stated otherwise)

stocking st = 1 row knit, 1 row purl (knit side is right side)

st, sts = stitch or stitches

tbl = through back of loop(s)

tog = together

cm = centimetre(s)

mm = millimetre(s)

ins = inches

0 = no rows, stitches or times

ybk = yarn back – take yarn under needle from purling position into knitting position.

yft = yarn front – bring yarn under needle from knitting position into purling position.

yfwd = yarn forward – bring yarn under needle, then over into knitting position again, thus making a stitch.

yon = yarn over needle – take yarn over top of needle into knitting position, thus making a stitch.

yrr = yarn round needle – take yarn right round needle into purling position, thus making a stitch.

NOTE: When instructions read – “Cast off 2 sts” (or similar stitches), the stitch left on the right hand needle, after casting off, is counted as one stitch.

M1 = Make 1 – pick up loop which lies before next stitch, place on left hand needle and knit (or purl) into back of loop.

KNITTING TENSION

Knitting tension is the number of stitches and number of rows in a 10cm square of knitting. Knitting patterns will state a tension at the beginning and you need to make sure your tension matches the tension quoted – or your garment will not fit properly. Accurate tension is the key to your project being the correct size.

To test your tension, knit a square following the instructions at the beginning of the pattern and lay your knitting on a flat surface.

STITCH TENSION

Place two pins – 10 cm apart – across the centre of your knitting. Count the stitches between the pins.

If there are less stitches than stated, your knitting

is loose, so knit another square using a size smaller needles. If there are more stitches than stated, your knitting is tight, so knit another square using a size larger needles.



ROW TENSION

Place two pins – 10 cm apart – down the centre of your knitting. Count the rows between the pins.

If there are less rows than stated, your knitting is loose

... if there are more rows than stated, then your knitting is tight.

It is generally better to have correct stitch tension, as lengths can usually be adjusted during knitting.



Style 1 Piglet Toy

SKILL LEVEL

■ ■ ■ ■ Experienced

MEASUREMENTS

Abbreviations – see page 8

| | | |
|---------------------------------|-----|----|
| Height (approx, excluding ears) | cm | 36 |
| | ins | 14 |

PATONS YARN REQUIRED

100% COTTON 4PLY 100g balls

Toy pictured is in colours #742 (fuschia) and #719 (cheeky)

1st Colour (C1)

1

2nd Colour (C2)

1

Use only the yarn specified - other yarns may give different results.

Quantities are approximate as they can vary between knitters.

Be sure to check the ball bands to ensure all yarn is from the same dye lot.



NEEDLES AND EXTRAS

- 1 pair 2.25mm (UK 13) (US 1) Knitting Needles.
- A Wool Needle for sewing seams.
- Polyester Toy Filling.
- Small amount of black yarn for embroidery.

TENSION

With Correct Yarn and Tension, your toy will look like our photograph.

35 sts and 45 rows to 10 cm over stocking st, using 2.25mm Needles.

To work a 15 cm x 15 cm tension square, use 2.25mm Needles, cast on 52 sts. Work 68 rows stocking st. Cast off loosely.

It is also recommended to work a swatch in each of the pattern stitches (see below) to familiarise yourself with the patterns.

Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

STITCH PATTERN 1

Cast on using **C2**.

Using **C2**, work 4 rows stocking st (beg with a knit row).

Using **C1**, knit 2 rows garter st.

Last 6 rows form Stitch Pattern 1.

STITCH PATTERN 2 (multiple of 4 sts + 3)

Cast on using **C2**.

Using **C2**, **1st row** - K3, * sl 1 purlways, K3, rep from * to end.

2nd row - Knit.

Using **C1**, **3rd row** - K1, * sl 1 purlways, K3, rep from * to last 2 sts, sl 1 purlways, K1.

4th row - Knit.

Rows 1 to 4 incl form Stitch Pattern 2.

PIGLET

Note - This instruction has been written specifically for the stitch patterns given. Using any other stitch may result in a toy that is the wrong shape or size.

Shaping is worked along side edges of body pieces.

When working in stitch patterns, incorporate new sts into pattern as they become available.

LEGS (make 2, beg at hip)

Using 2.25mm Needles and **C2**, cast on 32 sts.

Work in stocking st throughout until leg measures 9 cm from beg, ending with a purl row.

Cast on 14 sts at beg of next 2 rows ... 60 sts.

Inc one st at each end of every row until there are 70 sts, then in every foll alt row until there are 78 sts.

Cont without shaping until leg measures 14 cm from beg, ending with a purl row. Cast off.

FOOTPAD (make 2)

Using 2.25mm Needles and **C2**, cast on 6 sts.

Working in **Stitch Pattern 1** throughout, inc one st at each end of next row, then in every foll alt row until there are 16 sts, then in every foll 4th row until there are 22 sts.

Cont in patt without shaping until footpad measures 7 cm from beg, working last row on wrong side.

Keeping patt correct, dec one st at each end of every row until 12 sts rem. Cast off.

ARMS (make 2, beg at shoulder)

Using 2.25mm Needles and **C1**, cast on 28 sts.

Work in stocking st throughout until arm measures 10 cm from beg, ending with a purl row.

Next row - * K3, inc in next st, rep from * to end ... 35 sts.

Next row - Purl.

Next row - * K4, inc in next st, rep from * to end ... 42 sts.

Cont without shaping until arm measures 14 cm from beg, ending with a purl row.

Next row - * K4, K2tog, rep from * to end ... 35 sts.

Next row - Purl.

Next row - * K3, K2tog, rep from * to end ... 28 sts.

Next row - Purl.

Next row - * K2, K2tog, rep from * to end ... 21 sts.

Next row - Purl.

Next row - * K1, K2tog, rep from * to end ... 14 sts.

Next row - * P2tog, rep from * to end ... 7 sts.

Break off yarn leaving a long end. Run end through rem sts, draw up tightly and fasten off securely.

LEFT SIDE BODY (beg at base)

Using 2.25mm Needles and **C2**, cast on 14 sts.

Note - Work in **Stitch Pattern 2** throughout.

1st row - Inc in first st, patt to last st, inc in last st ... 16 sts.

2nd row - Inc in first st, patt to last st, inc in last st ... 18 sts.

3rd row - Cast on 2 sts, patt to last st, inc in last st ... 21 sts.

Rep 2nd and 3rd rows 5 more times ... 46 sts.

Cont in patt without shaping until left side body measures 9 cm from beg, working last row on wrong side.

Keeping patt correct, dec one st at each end of next row, then in every foll 4th row until 28 sts rem.

Cont in patt without shaping until left side body measures 17 cm from beg, working last row on wrong side.

Cast off.

RIGHT SIDE BODY (beg at base)

Work to correspond with Left Side Body, noting to reverse all shapings.

FRONT BODY GUSSET (beg at base)

Using 2.25mm Needles and **C2**, cast on 3 sts.

Working in **Stitch Pattern 2** throughout, inc one st at each end of next row, then in every foll 4th row until there are 15 sts, then in every foll alt row until there are 27 sts.

Cont in patt without shaping until gusset measures 12 cm from beg, working last row on wrong side.

Keeping patt correct, dec one st at each end of next row, then in every foll 3rd row until 7 sts rem.

Cont in patt without shaping until gusset measures 20.5 cm from beg, working last row on wrong side. Cast off.

HEAD SIDE (make 4 pieces, beg at neck)

Using 2.25mm Needles and **C2**, cast on 16 sts.

Working in **Stitch Pattern 2** throughout, inc one st at each end of next row, then in every foll alt row until there are 26 sts.

Cont in patt without shaping until head measures 7 cm from beg, working last row on wrong side.

Keeping patt correct, dec one st at each end of next row and foll 4th row, then in every foll alt row until 14 sts rem, then in every row until 2 sts rem.

Next row - Work 2tog. Fasten off.

SNOUT

Using 2.25mm needles and **C2**, cast on 60 sts.

Work in stocking st throughout until snout measures 2 cm from beg, ending with a purl row.

Next row - * K2tog, K4, rep from * to end ... 50 sts.

Next row - Purl.

Next row - * K2tog, K3, rep from * to end ... 40 sts.

Next row - Purl.

Next row - * K2tog, K2, rep from * to end ... 30 sts.

Next row - Purl.

Next row - * K2tog, K1, rep from * to end ... 20 sts.

Next row - * P2tog, rep from * to end ... 10 sts.

Break off yarn leaving a long end. Run end through rem sts, draw up tightly and fasten off securely.

EARS

Make 2 pieces using **C2** and working in stocking st.

Make 2 pieces working in **Stitch Pattern 1**.

Using 2.25mm Needles, cast on 16 sts.

Work in stocking st or patt throughout until ear measures 3 cm from beg, working last row on wrong side.

Dec one st at each end of every row until 4 sts rem.

Cast off.

TAIL

Using 2.25mm Needles and **C2**, cast on 15 sts.

1st row - Inc knitways in each st to end ... 30 sts.

2nd row - Knit.

3rd row - Inc knitways in each st to end ... 60 sts.

4th row - Knit. Cast off.

MAKE UP

Patons recommends using Mattress Stitch Seam, unless otherwise stated.

Fold legs in half and join side edges together to form front leg and upper foot seam, leaving top and bottom edges open. Sew footpad to cast off edge of leg, matching cast off end of footpad to front seam. Fill leg carefully and oversew cast on edge closed.

Fold arms in half and join side edges together, leaving cast on edge open. Fill arms carefully and oversew opening closed.

Sew ears together in pairs of **C2** and **Stitch Pattern 1**, noting that **Stitch Pattern 1** side are inner ears. Oversew cast on edges together.

Mark the side edges of the side body pieces where the cast on sts are to indicate the front edge to be sewn to the front body gusset. Sew side body pieces together along unmarked side edges from cast on to cast off edges. Matching cast off edge of front body gusset to cast off edge of side body pieces at front sides, sew gusset in place, noting that cast on edge of body gusset will end approx halfway along cast on edge of side body pieces. Sew rem section of cast on edge of side body pieces together. Fill body and set aside.

Join side edges of head pieces together, leaving cast on edge open. Fill head and sew head to body at neck using ladder stitch, matching a seam on the head to the

back seam on the body and adding filling as necessary to prevent neck from being weak.

Join side edges of snout together. Fill snout and position to front of face, matching bottom seam of snout to centre seam of face and positioning bottom edge of snout approx 1 cm above neck seam. Place top edge of snout approx 4 cm above bottom edge of snout. Slip stitch snout to position. Using black yarn, embroider nostrils of snout with ch knots. Using 4 strands of black yarn, embroider snout with ch knots for eyes on face.

Oversew ears in position on top of head so that inner ears face forwards.

Oversew arms to side of body, just below neck. Oversew legs to bottom of body, checking that piglet will sit before securing legs in place. Sew tail in place on back of body, using ladder stitch, checking tail position does not impede piglet's ability to sit before securing.

MATTRESS STITCH SEAM

This seam is worked from the right side and enables the matching of stripes and fancy patterns.




1. With right sides facing, lay the pieces to be joined side by side on a flat surface. Thread a wool needle with the yarn to sew the seam. Insert the wool needle from the wrong side, up to the right side between the edge stitch and second stitch in the first row. Draw thread up, leaving an end approx. 15 cm long (to be sewn in later).
2. Insert the wool needle down between the corresponding edge stitch and second stitch in the first row on the opposite piece, pass the needle under the loops of 2 rows and bring it up to the front of work. Draw up thread loosely. Return to the first piece and insert the wool needle down in the same space that the last stitch came out of and pass it under the loops of 2 rows and bring it up to the front of work. Draw up thread loosely.
3. Repeat this zig zag action, always taking the needle under loops that correspond exactly to the opposite side. Work loosely, leaving seam stitches approx. 1 cm wide. When seam is about 2 cm long, pull thread gently to close seam. When seam is complete, sew in ends.

NOTE – Always keep work elastic - there should be as much stretch in your seam as there is in the rest of the garment.

FRENCH KNOTS

Bring the thread up through the fabric at the required position. Hold the thread down with your left thumb and encircle the thread twice with the needle as shown (A). Still holding the thread firmly, twist the needle back to the starting point and insert it close to where the thread was first drawn through the fabric (see arrow). Pull the thread through to the back and secure for a single French Knot, or pass on to the position of the next stitch (B).



WOOL NEEDLE



Wool needles, Tapestry needles or Knitters needles i.e.- those with blunt ends instead of sharp points are ideal for sewing up knitted garments. Use the same yarn as that in which you knitted your garment. If your garment was knitted using 2 strands of yarn together, then when sewing up your garment you should also use 2 strands of yarn together. Certain fashion yarns are not suitable for sewing up and suitable matching plain yarn should be used instead. Seams should be sewn as instructed, in the order given. Do not start with a knot in your yarn when sewing a seam. Leave end approx 15cm long before commencing, then sew in after seam has been completed.

Style 2 Bolero Jacket

SKILL LEVEL

Easy



MEASUREMENTS

Abbreviations – see page 8

| Months | | 0 | 3 | 6 | 9 | 12 | 18 |
|-------------------------------------|-----|----|----|-----|-----|-----|----|
| To Fit Underarm | cm | 35 | 40 | 45 | 47 | 50 | 53 |
| | ins | 14 | 16 | 18 | 18½ | 19½ | 21 |
| Actual Size (approx at underarm) | cm | 38 | 43 | 49 | 51 | 55 | 58 |
| | ins | 15 | 17 | 19½ | 20 | 21½ | 23 |
| Length (approx) | cm | 17 | 20 | 23 | 26 | 29 | 30 |
| | ins | 6½ | 8 | 9 | 10 | 11½ | 12 |
| Sleeve Length | cm | 11 | 13 | 15 | 16 | 17 | 19 |
| | ins | 4½ | 5 | 6 | 6½ | 6½ | 7½ |

PATONS YARN REQUIRED

100% COTTON 4PLY 100g balls

Garment pictured is in colours #719 (cheeky) and #742 (fuschia)

| | | | | | | |
|----------------------|---|---|---|---|---|---|
| Main Colour (MC) | 1 | 1 | 1 | 2 | 2 | 2 |
| Contrast Colour (CC) | 1 | 1 | 1 | 1 | 1 | 1 |

Use only the yarn specified - other yarns may give different results.

Quantities are approximate as they can vary between knitters.

Be sure to check the ball bands to ensure all yarn is from the same dye lot.

NEEDLES AND EXTRAS

- 1 pair each 3.25mm (UK 10) (US 3) and 2.75mm (UK 12) (US 2) Knitting Needles.
- A 2.75mm (UK 12) (US 2) Circular Needle.
- A Wool Needle for sewing seams.
- 1 Coats Button (#0872).

TENSION

With Correct Yarn and Tension, your garment will look like our photograph.

28 sts and 36 rows to 10 cm over stocking st, using 3.25mm Needles.

To work a 15 cm x 15 cm tension square, use 3.25mm Needles, cast on 42 sts. Work 54 rows stocking st. Cast off loosely.

Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

JACKET

BACK

Using pair 2.75mm Needles and **CC**, cast on 55 (63-71-75-79-83) sts.

1st row (right side) - K2, * P1, K1, rep from * to last st, K1.

2nd row - K1, * P1, K1, rep from * to end.

Rep 1st and 2nd rows 3 times ... 8 rows rib in all.

Break off **CC**.

Change to 3.25mm Needles.

Using **MC** for rem, work 18 (26-32-40-50-50) rows stocking st.

Book 3804 - Page 12

SHAPE ARMHOLES -

Cast off 2 (2-3-3-3-4) sts at beg of next 2 rows ... 51 (59-65-69-73-75) sts.

Dec one st at each end of next row, then in every foll alt row until 47 (55-61-63-67-69) sts rem.

Cont without shaping until **armhole** measures 10 (11-12-13-13-14) cm, ending with a purl row.

SHAPE SHOULDERS -

Cast off 4 (5-5-6-6-6) sts at beg of next 4 rows, then 3 (4-6-5-7-7) sts at beg of foll 2 rows.

Cast off rem 25 (27-29-29-29-31) sts loosely.

LEFT FRONT

Using 3.25mm Needles and **MC**, cast on 9 sts.

1st row (right side) - Knit.

Working in stocking st (beg with a purl row), cast on 3 sts at beg (front edge) of next row, then at same edge in every foll alt row until there are 24 (24-27-24-21-24) sts, then inc one st at front edge in next row, then in every foll alt row until there are 27 (31-35-37-39-41) sts.

Work 3 (3-5-5-7-7) rows without shaping.

SHAPE ARMHOLE AND FRONT SLOPE -

Cast off 2 (2-3-3-3-4) sts at beg of next row ... 25 (29-32-34-36-37) sts.

Dec one st at armhole edge in every foll alt row 2 (2-2-3-3-3) times, AT SAME TIME dec one st at front edge in every foll alt row until 12 (15-18-20-22-23) sts rem, then in every foll 4th row until 11 (14-16-17-19-19) sts rem.

Cont without shaping until **armhole** measures same as Back to beg of shoulder shaping, ending with a purl row.

SHAPE SHOULDER -

Cast off 4 (5-5-6-6-6) sts at beg of next row and foll alt row.
Work 1 row. Cast off rem 3 (4-6-5-7-7) sts.

RIGHT FRONT

Using 3.25mm Needles and **MC**, cast on 9 sts.
Working in stocking st, cast on 3 sts at beg (front edge) of next row, then at same edge in every foll alt row until there are 24 (24-27-24-21-24) sts, then inc one st at front edge in every foll alt row until there are 27 (31-35-37-39-41) sts.
Work 4 (4-6-6-8-8) rows without shaping.

SHAPE ARMHOLE AND FRONT SLOPE -

Cast off 2 (2-3-3-3-4) sts at beg of next row ... 25 (29-32-34-36-37) sts.

Dec one st at armhole edge in next row, then in every foll alt row 1 (1-1-2-2-2) time/s, AT SAME TIME dec one st at front edge in next row, then in every foll alt row until 12 (15-18-20-22-23) sts rem, then in every foll 4th row until 11 (14-16-17-19-19) sts rem.

Cont without shaping until **armhole** measures same as Back to beg of shoulder shaping, ending with a purl row.
Work 1 row.

SHAPE SHOULDER -

Cast off 4 (5-5-6-6-6) sts at beg of next row and foll alt row.
Work 1 row. Cast off rem 3 (4-6-5-7-7) sts.

SLEEVES

Using pair 2.75mm Needles and **CC**, cast on 35 (35-37-39-41-45) sts.

Work 8 rows rib as for lower band of Back. Break off **CC**.
Change to 3.25mm Needles.

Using **MC** for rem, work 2 rows stocking st.

3rd row - K2, **M1**, knit to last 2 sts, **M1**, K2.

Cont in stocking st (beg with a purl row), inc one st at each end of every foll - 4th (4th-4th-4th-4th-6th) row until there are 47 (49-55-59-61-63) sts.

Cont without shaping until work measures 11 (13-15-16-17-19) cm from beg, ending with a purl row.

SHAPE TOP -

Cast off 2 sts at beg of next 2 rows ... 43 (45-51-55-57-59) sts.

Dec one st at each end of next row, then in every foll alt row until 21 (21-25-33-37-33) sts rem, then in every row until 11 sts rem. Cast off.

RIGHT FRONT BAND

Patons recommends using Mattress Stitch Seam.

Join shoulder seams. With right side facing, using 2.75mm Circular Needle and **MC**, knit up 28 (36-42-50-60-60) sts evenly along cast on edge and shaped edge of right front to beg of front slope shaping, 37 (41-45-47-47-51) sts evenly along front slope shaping to shoulder, then 12 (14-14-14-14-16) sts evenly across half of back to centre ... 77 (91-101-111-121-127) sts. Break off **MC**.

Note - Work in **rows** not rounds.

Using **CC**, **Next row** (wrong side) - Purl.

Work 2 rows rib as for lower band of Back.

Next row - Rib to within 6 sts of commencement of front slope shaping, cast off 2 sts, rib to end.

Next row - Rib to sts cast off for buttonhole, **turn**, cast on 2 sts, **turn**, rib to end ... buttonhole.

Work 2 rows rib. Cast off firmly in rib.

LEFT FRONT BAND

With right side facing, using 2.75mm Circular Needle and **MC**, knit up 12 (14-14-14-16) sts evenly across rem half of back neck, 37 (41-45-47-47-51) sts evenly along left front slope shaping, then 28 (36-42-50-60-60) sts evenly along shaped edge and cast on edge ... 77 (91-101-111-121-127) sts. Break off **MC**.


Using **CC**, **Next row** (wrong side) - Purl.

Work 6 rows rib as for lower band of Back.


Cast off firmly in rib.

MAKE UP

Join side and sleeve seams. Sew in sleeves. Using a flat seam, join front bands together at centre back neck. Sew on button. Sew in all ends.



MAKE 1 (M1)



Pick up loop which lies before next stitch, place on left hand needle and knit (or purl) into back of loop.

Style 3 Rabbit Toy

SKILL LEVEL

■ ■ ■ ■ Experienced

MEASUREMENTS

Abbreviations – see page 8

| | | |
|---------------------------------|-----|----|
| Height (approx, excluding ears) | cm | 36 |
| | ins | 14 |

PATONS YARN REQUIRED

100% COTTON 4PLY 100g balls

Toy pictured is in colours #716 (limestone) and #692 (cream)

1st Colour (C1)

1

2nd Colour (C2)

1

Use only the yarn specified - other yarns may give different results.

Quantities are approximate as they can vary between knitters.

Be sure to check the ball bands to ensure all yarn is from the same dye lot.



NEEDLES AND EXTRAS

- 1 pair 2.25mm (UK 13) (US 1) Knitting Needles.
- A Wool Needle for sewing seams.
- Polyester Toy Filling.
- Small amount of black yarn for embroidery.

TENSION

With Correct Yarn and Tension, your toy will look like our photograph.

35 sts and 45 rows to 10 cm over stocking st, using 2.25mm Needles.

To work a 15 cm x 15 cm tension square, use 2.25mm Needles, cast on 52 sts. Work 68 rows stocking st. Cast off loosely.

It is also recommended to work a swatch in each of the pattern stitches (see below) to familiarise yourself with the patterns.

Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

STITCH PATTERN 1 (multiple of 6 sts + 5)

Note - When slipping sts, always ensure yarn is carried loosely across on wrong side of work.

Cast on using **C1**.

Using **C1**, **1st row** (right side) - Knit.

2nd row - K1, * P3, K3, rep from * to last 4 sts, P3, K1.

Using **C2**, **3rd row** - K1, * sl 3 purlways, K3, rep from * to last 4 sts, sl 3 purlways, K1.

4th row - P2, * sl 1 purlways, P5, rep from * to last 3 sts, sl 1 purlways, P2.

5th row - Knit.

6th row - K4, * P3, K3, rep from * to last st, K1.

Using **C1**, **7th row** - K4, * sl 3 purlways, K3, rep from * to last st, K1.

8th row - P5, * sl 1 purlways, P5, rep from * to end.

Rows 1 to 8 incl form Stitch Pattern 1.

STITCH PATTERN 2 (multiple of 6 sts + 5)

Cast on using **C1**.

1st row (right side) - Knit.

2nd row - Purl.

3rd row - K2, * P1, K5, rep from * to last 3 sts, P1, K2.

4th row - Purl.

5th row - Knit.

6th row - Purl.

7th row - K5, * P1, K5, rep from * to end.

8th row - Purl.

Rows 1 to 8 incl form Stitch Pattern 2.

RABBIT

Note - This instruction has been written specifically for the stitch patterns given. Using any other stitch may result in a toy that is the wrong shape or size. Shaping is worked along side edges of body pieces. When working in stitch patterns, incorporate new sts into pattern as they become available.

LEGS (make 2, beg at hip)

Using 2.25mm Needles and **C1**, cast on 35 sts.

Work in **Stitch Pattern 1** until leg measures 9 cm from beg, working last row on wrong side.

Keeping patt correct, cast on 12 sts at beg of next 2 rows ... 59 sts.

Cont in patt, inc one st at each end of every row until there are 69 sts, then in every foll alt row until there are 77 sts.

Cont in patt without shaping until leg measures 14 cm from beg, working last row on wrong side. Cast off.

FOOTPAD (make 2)

Using 2.25mm needles and **C2**, cast on 6 sts.

Working in stocking st throughout, inc one st at each end of next row, then in every foll alt row until there are 16 sts, then in every foll 4th row until there are 22 sts.

Cont without shaping until footpad measures 7 cm from beg, ending with a purl row.
Dec one st at each end of every row until 12 sts rem.
Cast off.

ARMS (make 2, beg at shoulder)

Using 2.25mm Needles and **C1**, cast on 29 sts.
Work in **Stitch Pattern 1** until arm measures approx 10 cm from beg, ending with a 2nd row thus completing patt.
Using **C1**, **Next row** - K4, * inc in next st, K3, rep from * to last st, K1 ... 35 sts. Break off **C1**.
Using **C2** for rem, **Next row** - Purl.
Next row - * K4, inc in next st, rep from * to end ... 42 sts.
Cont in stocking st without shaping (beg with a purl row) until arm measures 14 cm from beg, ending with a purl row.
Next row - * K4, K2tog, rep from * to end ... 35 sts.
Next row - Purl.
Next row - * K3, K2tog, rep from * to end ... 28 sts.
Next row - Purl.
Next row - * K2, K2tog, rep from * to end ... 21 sts.
Next row - Purl.
Next row - * K1, K2tog, rep from * to end ... 14 sts.
Next row - * P2tog, rep from * to end ... 7 sts.
Break off yarn leaving a long end. Run end through rem sts, draw up tightly and fasten off securely.

LEFT SIDE BODY (beg at base)

Using 2.25mm Needles and **C1**, cast on 14 sts.
Note - Work in **Stitch Pattern 2** throughout.
1st row - Inc in first st, patt to last st, inc in last st ... 16 sts.
2nd row - Inc in first st, patt to last st, inc in last st ... 18 sts.
3rd row - Cast on 2 sts, patt to last st, inc in last st ... 21 sts.
Rep 2nd and 3rd rows 5 more times ... 46 sts.
Cont in patt without shaping until left side body measures 9 cm from beg, working last row on wrong side.
Keeping patt correct, dec one st at each end of next row, then in every foll 4th row until 28 sts rem.
Cont in patt without shaping until left side body measures 17 cm from beg, working last row on wrong side.
Cast off.

RIGHT SIDE BODY (beg at base)

Work to correspond with Left Side Body, noting to reverse all shapings.

FRONT BODY GUSSET (beg at base)

Using 2.25mm Needles and **C1**, cast on 3 sts.
Working in **Stitch Pattern 2** throughout, inc one st at each end of next row, then in every foll 4th row until there are 15 sts, then in every foll alt row until there are 27 sts.
Cont in patt without shaping until gusset measures 12 cm from beg, working last row on wrong side.
Keeping patt correct, dec one st at each end of next row, then in every foll 3rd row until 7 sts rem.
Cont in patt without shaping until gusset measures 20.5 cm from beg, working last row on wrong side. Cast off.

HEAD SIDE (make 4 pieces, beg at neck)

Using 2.25mm Needles and **C1**, cast on 16 sts.
Working in **Stitch Pattern 2** throughout, inc one st at each end of next row, then in every foll alt row until there are 26 sts.
Cont in patt without shaping until head measures 7 cm from beg, working last row on wrong side.
Keeping patt correct, dec one st at each end of next row and foll 4th row, then in every foll alt row until 14 sts rem, then in every row until 2 sts rem.
Next row - Work 2tog. Fasten off.

EARS

Make 2 pieces using **C2** and working in stocking st.
Make 2 pieces working in **Stitch Pattern 1**.
Using 2.25mm Needles, cast on 16 sts.
Work in stocking st or patt throughout, inc one st at each end of 7th row, then in every foll 8th row until there are 22 sts.
Cont without shaping until ear measures 9 cm from beg, working last row on wrong side.
Dec one st at each end of every row until 8 sts rem.
Cast off.

TAIL

Using 2.25mm Needles and **C2**, cast on 30 sts.
Work in stocking st until tail measures 2 cm from beg, ending with a purl row.
Next row - * K3, K2tog, rep from * to end ... 24 sts.
Next row - Purl.
Next row - * K2, K2tog, rep from * to end ... 18 sts.
Next row - Purl.
Next row - * K1, K2tog, rep from * to end ... 12 sts.
Next row - * P2tog, rep from * to end ... 6 sts.
Break off yarn leaving a long end. Run end through rem sts, draw up tightly and fasten off securely.

MAKE UP

Patons recommends using Mattress Stitch Seam, unless otherwise stated.

Fold legs in half and join side edges together to form front leg and upper foot seam, leaving top and bottom edges open. Sew footpad to cast off edge of leg, matching cast off end of footpad to front seam. Fill leg carefully and oversew cast on edge closed.
Fold arms in half and join side edges together, leaving cast on edge open. Fill arms carefully and oversew opening closed.
Sew ears together in pairs of **C2** and **Stitch Pattern 1**, noting that **C2** side are inner ears. Oversew cast on edges together. Fold cast on corners of ears to centre front over inner ears and oversew in position.
Join side edges of tail together, leaving cast on edge open. Mark the side edges of the side body pieces where the cast on sts are to indicate the front edge to be sewn to the front body gusset. Sew side body pieces together along unmarked side edges from cast on to cast off edges. Matching cast off edge of front body gusset to cast off edge of side body pieces at front sides, sew gusset in place, noting that cast on edge of body gusset will end approx

halfway along cast on edge of side body pieces. Sew rem section of cast on edge of side body pieces together. Fill body and set aside.

Join side edges of head pieces together, leaving cast on edge open. Fill head and sew head to body at neck using ladder stitch, matching a seam on the head to the back seam on the body and adding filling as necessary to prevent neck from being weak.

Using black yarn, embroider nose using satin stitch. Using black yarn, embroider mouth under nose using straight sts and pulling as you sew to indent face, forming muzzle. Using 4 strands of black yarn, embroider french knots for eyes on face.

Oversew ears in position on top of head so that inner ears face forwards.

Oversew arms to side of body, just below neck. Oversew legs to bottom of body, checking that rabbit will sit before securing legs in place. Fill tail and sew tail in place on back of body using ladder stitch, checking tail position does not impede rabbit's ability to sit before securing.

FLAT SEAM

This method is sometimes used for knitted garments but more often for crochet garments. It is a good seam to use for collars, as the seam has little bulk. More experienced knitters may prefer this seam to attach front bands.

A flat seam can be worked from either the right or the wrong side of the work. Place the 2 pieces of fabric evenly together. Thread a wool needle with the yarn to sew the seam. Bring the needle up from underneath to the top through the centre of the first stitch, then in the same manner through the corresponding stitch on the other piece. Sew stitch by stitch from one side to the other, always bringing the needle up from underneath to the top through the centre of the stitch.

NOTE – Always keep work elastic – there should be as much stretch in your seam as there is in the rest of your garment.




KNITTING UP STITCHES

Take care to ensure stitches are picked up evenly along the edge and in a consistent position. This will ensure a more professional finish to your garment.

Before commencing, place a pin in the centre of your knitting at right angles to the edge of the fabric. Now halve the distances each side, place pins to mark, then halve these again, placing pins again – so that the length is divided into eighths. Divide the number of stitches to knit up by 8 and knit up approximately this number of stitches between each pin. For example – If you need to knit up 80 stitches, then you should knit up 10 stitches between each pin.



To avoid a gap forming, be sure to start and end in the first and last stitch at each end of the knitted fabric. Hold work in left hand with right side facing you. Hold working needle and yarn in right hand. Insert point of needle through work from front to back. Wrap yarn round point of needle and knit a stitch. When working along a cast-off edge, insert needle under both loops of cast-off stitch.



When working along side edge, insert needle inside one full stitch from the edge (i.e. behind 2 loops of stitch, not just the edge loop).



Along the side edge, there is alternately one long and one short stitch. If you require less stitches than there are rows, always knit up through the short stitches and omit some of the long stitches.

Style 4 Lace Dress

SKILL LEVEL

Intermediate

MEASUREMENTS

Abbreviations – see page 8



| Months | | 0 | 3 | 6 | 9 | 12 | 18 |
|-------------------------------------|-----|----|-----|-----|-----|-----|-----|
| To Fit Underarm | cm | 35 | 40 | 45 | 47 | 50 | 53 |
| | ins | 14 | 16 | 18 | 18½ | 19½ | 21 |
| Actual Size (approx at underarm) | cm | 38 | 43 | 49 | 51 | 55 | 58 |
| | ins | 15 | 17 | 19½ | 20 | 21½ | 23 |
| Length (approx) | cm | 30 | 34 | 38 | 43 | 48 | 50 |
| | ins | 12 | 13½ | 15 | 17 | 19 | 19½ |
| Sleeve Length (approx) | cm | 3 | 3 | 3 | 3 | 3 | 3 |
| | ins | 1 | 1 | 1 | 1 | 1 | 1 |

PATONS YARN REQUIRED

100% COTTON 4PLY 100g balls

Garment pictured is in colours #692 (cream) and #716 (limestone)

| | | | | | | |
|----------------------|---|---|---|---|---|---|
| Main Colour (MC) | 1 | 1 | 2 | 2 | 2 | 3 |
| Contrast Colour (CC) | 1 | 1 | 1 | 1 | 1 | 1 |

Use only the yarn specified - other yarns may give different results.

Quantities are approximate as they can vary between knitters.

Be sure to check the ball bands to ensure all yarn is from the same dye lot.

NEEDLES AND EXTRAS

- 1 pair each 3.25mm (UK 10) (US 3) and 2.75mm (UK 12) (US 2) Knitting Needles.
- 3 Stitch Holders
- A Wool Needle for sewing seams.
- 2 Coats Buttons (#0872).
- Lengths of Ribbon.

TENSION

With Correct Yarn and Tension, your garment will look like our photograph.

28 sts and 36 rows to 10 cm over stocking st, using 3.25mm Needles.

To work a 15 cm x 15 cm tension square, use 3.25mm Needles, cast on 42 sts. Work 54 rows stocking st. Cast off loosely.

Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

DRESS

BACK

Using 2.75mm Needles and CC, cast on 71 (81-91-91-101-111) sts.

1st row (right side) - K1, * P1, K1, rep from * to end.

Rep 1st row for moss st 7 times ... 8 rows moss st in all.

Break off CC.

Change to 3.25mm Needles and beg lace patt.

Using MC, 1st row (right side) - Knit.

2nd row - Purl.

3rd row - K3, * K2tog, yfwd, K1, yfwd, sl 1 knitways, K1, pssso, K5, rep from * to last 8 sts, K2tog, yfwd, K1, yfwd, sl 1 knitways, K1, pssso, K3.

4th row - Purl.

5th row - Knit.

6th row - Purl.

7th row - K1, * yfwd, sl 1 knitways, K1, pssso, K5, K2tog, yfwd, K1, rep from * to end.

8th row - Purl.

Rows 1 to 8 incl form lace patt.

Cont in lace patt until work measures approx 17 (20-23-27-32-33) cm from beg, ending with a 4th or 8th patt row.

Next row - K4 (5-6-7-7-1), K2tog, * K2 (2-2-3-2-2), K2tog, rep from * to last 5 (6-7-7-8-0) sts, K5 (6-7-7-8-0) ... 55 (63-71-75-79-83) sts.

Next row - Purl.

Change to 2.75mm Needles.

Using CC, knit 3 rows garter st.

Ribbonhole row (wrong side) - * P2tog, yrn, rep from * to last st, P1.

Knit 2 rows garter st. Break off CC.

Change to 3.25mm Needles.

Using MC for rem, work 2 rows stocking st.

Beg yoke patt - 1st row (right side) - K1, * P1, K3, rep from * to last 2 sts, P1, K1.

2nd row - Purl.

3rd row - * K3, P1, rep from * to last 3 sts, K3.

4th row - Purl.

Rows 1 to 4 incl form yoke patt for rem.

SHAPE ARMHOLES -

Keeping patt correct, cast off 2 (2-3-3-3-4) sts at beg of next 2 rows ... 51 (59-65-69-73-75) sts.

Dec one st at each end of next row, then in every foll alt row until 47 (**55-61-63-67-69**) sts rem.

Cont without shaping until **armhole** measures 5 (**6-6-7-7-8**) cm, working last row on wrong side. **

DIVIDE FOR BACK OPENING -

Next row - Patt 23 (**27-30-31-33-34**), **turn**.

Cont in patt on these 23 (**27-30-31-33-34**) sts until **armhole** measures 10 (**11-12-13-13-14**) cm, working last row on wrong side.

SHAPE SHOULDER -

Cast off 4 (**5-5-6-6-6**) sts at beg of next row and foll alt row. Work 1 row. Cast off 3 (**4-6-5-7-7**) sts at beg of next row. Work 1 row.

Leave rem 12 (**13-14-14-14-15**) sts on a stitch holder.

With right side facing, join **MC** to rem sts, K2tog, patt to end.

Cont in patt on these 23 (**27-30-31-33-34**) sts until **armhole** measures 10 (**11-12-13-13-14**) cm, working last row on wrong side.

Work 1 row.

SHAPE SHOULDER -

Cast off 4 (**5-5-6-6-6**) sts at beg of next row and foll alt row. Work 1 row. Cast off 3 (**4-6-5-7-7**) sts at beg of next row.

Leave rem 12 (**13-14-14-14-15**) sts on a stitch holder.

FRONT

Work as for Back to **.

SHAPE NECK -

Next row - Patt 16 (**20-23-24-26-27**), **turn**.

*** Cont on these 16 (**20-23-24-26-27**) sts.

Dec one st at neck edge in every row until 14 (**16-21-22-24-23**) sts rem, then in every foll alt row until 11 (**14-16-17-19-19**) sts rem.

Cont in patt without shaping until **armhole** measures same as Back to beg of shoulder shaping, ending with same patt row.

SHAPE SHOULDER -

Cast off 4 (**5-5-6-6-6**) sts at beg of next row and foll alt row. Work 1 row. Cast off rem 3 (**4-6-5-7-7**) sts. ***

Slip next 15 sts onto a stitch holder and leave.

With right side facing, join **MC** to rem sts and patt to end.

Rep from *** to ***, working 1 row more before shoulder shaping.

SLEEVES

Using 2.75mm Needles and **CC**, cast on 47 (**51-55-59-59-63**) sts.

Work 8 rows moss st as for lower band of Back.

Break off **CC**.

Change to 3.25mm Needles and **beg patt**.

Using **MC** for rem, work 2 rows stocking st.

Work 2 rows yoke patt as for Back.

SHAPE TOP -

Keeping patt correct, cast off 2 sts at beg of next 2 rows ... 43 (**47-51-55-55-59**) sts.

Dec one st at each end of next row, then in every foll alt row until 21 (**25-25-33-33-33**) sts rem, then in every row until 11 sts rem. Cast off.

NECKBAND

Patons recommends using Mattress Stitch Seam.

Join shoulder seams. With right side facing, using 2.75mm Needles and **CC**, knit across sts from left back stitch holder, knit up 14 (**14-16-16-16-16**) sts evenly along left side of neck, knit across sts from front stitch holder, knit up 14 (**14-16-16-16-16**) sts evenly along right side of neck, then knit across sts from right back stitch holder ... 67 (**69-75-75-75-77**) sts.

Work 7 rows moss st as for lower band of Back.

Cast off in moss st.


BACK OPENING EDGING

With right side facing, using 2.75mm Needles and **MC**, knit up 37 (**37-43-43-43-43**) sts evenly along back opening and side edges of neckband.

Next row - Knit. Cast off knitways.

MAKE UP

Join side and sleeve seams. Sew in sleeves. Using **CC**, make 2 buttonloops and attach one to top right side edge of neckband at back neck opening and evenly spacing rem buttonloop. Sew on buttons to correspond with buttonloops. Sew in all ends. Thread ribbon through ribbonhole row worked in **CC** at waist, beg and ending at centre front. Draw up and tie in a bow. If desired, tie a small length of ribbon into a bow and stitch to centre front below neckband as pictured.



Style 5 Horse Toy

SKILL LEVEL

■ ■ ■ ■ Experienced

MEASUREMENTS

Abbreviations – see page 8

| | | |
|---------------------------------|-----|----|
| Height (approx, excluding ears) | cm | 36 |
| | ins | 14 |

PATONS YARN REQUIRED

100% COTTON 4PLY 100g balls

Toy pictured is in colours #726 (jade) and #729 (delta)

1st Colour (C1)

1

2nd Colour (C2)

1

Use only the yarn specified - other yarns may give different results.

Quantities are approximate as they can vary between knitters.

Be sure to check the ball bands to ensure all yarn is from the same dye lot.



NEEDLES AND EXTRAS

- 1 pair 2.25mm (UK 13) (US 1) Knitting Needles.
- A Wool Needle for sewing seams.
- Polyester Toy Filling.
- Small amount of black yarn for embroidery.
- Piece of cardboard and a crochet hook for tail.

TENSION

With Correct Yarn and Tension, your toy will look like our photograph.

35 sts and 45 rows to 10 cm over stocking st, using 2.25mm Needles.

To work a 15 cm x 15 cm tension square, use 2.25mm Needles, cast on 52 sts. Work 68 rows stocking st. Cast off loosely.

It is also recommended to work a swatch in the pattern stitch (see below) to familiarise yourself with the pattern.

Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

STITCH PATTERN (multiple of 4 sts + 3)

Cast on using **C2**.

Using **C2**, **1st row** (right side) - P1, * K1, P1, rep from * to end.

2nd row - As 1st row.

Using **C1**, **3rd row** - K1, * sl 1 purlways, K3, rep from * to last 2 sts, sl 1 purlways, K1.

4th row - P1, * sl 1 purlways, P3, rep from * to last 2 sts, sl 1 purlways, P1.

Using **C2**, **5th row** - As 1st row.

6th row - As 1st row.

Using **C1**, **7th row** - K3, * sl 1 purlways, K3, rep from * to end.

8th row - P3, * sl 1 purlways, P3, rep from * to end.

Rows 1 to 8 incl form Stitch Pattern.

HORSE

Note - This instruction has been written specifically for the stitch pattern given. Using any other stitch may result in a toy that is the wrong shape or size.

Shaping is worked along side edges of body pieces.

When working in stitch pattern, incorporate new sts into pattern as they become available.

LEGS (make 2, beg at hip)

Using 2.25mm Needles and **C2**, cast on 32 sts.

Work in stocking st throughout until leg measures 9 cm from beg, ending with a purl row.

Cast on 14 sts at beg of next 2 rows ... 60 sts.

Inc one st at each end of every row until there are 70 sts, then in every foll alt row until there are 78 sts.

Cont without shaping until leg measures 14 cm from beg, ending with a purl row. Cast off.

FOOTPAD (make 2)

Using 2.25mm Needles and **C2**, cast on 6 sts.

Working in **Stitch Pattern** throughout, inc one st at each end of next row, then in every foll alt row until there are 16 sts, then in every foll 4th row until there are 22 sts.

Cont in patt without shaping until footpad measures 7 cm from beg, working last row on wrong side.

Keeping patt correct, dec one st at each end of every row until 12 sts rem. Cast off.

ARMS (make 2, beg at shoulder)

Using 2.25mm Needles and **C1**, cast on 28 sts.

Work in stocking st throughout until arm measures 10 cm from beg, ending with a purl row.

Next row - * K3, inc in next st, rep from * to end ... 35 sts. Break off **C1**.

Using **C2** for rem, **Next row** - Purl.

Next row - * K4, inc in next st, rep from * to end ... 42 sts.

Cont without shaping until arm measures 14 cm from beg, ending with a purl row.

Next row - * K4, K2tog, rep from * to end ... 35 sts.

Next row - Purl.

Next row - * K3, K2tog, rep from * to end ... 28 sts.

Next row - Purl.

Next row - * K2, K2tog, rep from * to end ... 21 sts.

Next row - Purl.

Next row - * K1, K2tog, rep from * to end ... 14 sts.

Next row - * P2tog, rep from * to end ... 7 sts.

Break off yarn leaving a long end. Run end through rem sts, draw up tightly and fasten off securely.

LEFT SIDE BODY (beg at base)

Using 2.25mm Needles and **C2**, cast on 14 sts.

Note - Work in **Stitch Pattern** throughout.

1st row - Inc in first st, patt to last st, inc in last st ... 16 sts.

2nd row - Inc in first st, patt to last st, inc in last st ... 18 sts.

3rd row - Cast on 2 sts, patt to last st, inc in last st ... 21 sts.

Rep 2nd and 3rd rows 5 more times ... 46 sts.

Cont in patt without shaping until left side body measures 9 cm from beg, working last row on wrong side.

Keeping patt correct, dec one st at each end of next row, then in every foll 4th row until 28 sts rem.

Cont in patt without shaping until left side body measures 17 cm from beg, working last row on wrong side.

Cast off.

RIGHT SIDE BODY (beg at base)

Work to correspond with Left Side Body, noting to reverse all shapings.

FRONT BODY GUSSET (beg at base)

Using 2.25mm Needles and **C2**, cast on 3 sts.

Working in **Stitch Pattern** throughout, inc one st at each end of next row, then in every foll 4th row until there are 15 sts, then in every foll alt row until there are 27 sts.

Cont in patt without shaping until gusset measures 12 cm from beg, working last row on wrong side.

Keeping patt correct, dec one st at each end of next row, then in every foll 3rd row until 7 sts rem.

Cont in patt without shaping until gusset measures 20.5 cm from beg, working last row on wrong side. Cast off.

HEAD SIDE (make 4 pieces, beg at neck)

Using 2.25mm Needles and **C2**, cast on 16 sts.

Working in stocking st throughout, inc one st at each end of next row, then in every foll alt row until there are 26 sts.

Cont without shaping until head measures 7 cm from beg, ending with a purl row.

Dec one st at each end of next row and foll 4th row, then in every foll alt row until 14 sts rem, then in every row until 2 sts rem.

Next row - Work 2tog. Fasten off.

EARS (make 2 pieces in **C1** and 2 pieces in **C2**)

Using 2.25mm Needles, cast on 16 sts.

Work in stocking st throughout until ear measures 5 cm from beg, ending with a purl row.

Dec one st at each end of every row until 2 sts rem.

Cast off.

MUZZLE

Using 2.25mm Needles and **C1**, cast on 70 sts.

Work in stocking st throughout until muzzle measures 4 cm from beg, ending with a purl row.

Next row - * K2tog, K5, rep from * to end ... 60 sts.

Next row - Purl.

Next row - * K2tog, K4, rep from * to end ... 50 sts.

Next row - Purl.

Next row - * K2tog, K3, rep from * to end ... 40 sts.

Next row - Purl.

Next row - * K2tog, K2, rep from * to end ... 30 sts.

Next row - Purl. Cast off.

MAKE UP

Patons recommends using Mattress Stitch Seam, unless otherwise stated.

Fold legs in half and join side edges together to form front leg and upper foot seam, leaving top and bottom edges open. Sew footpad to cast off edge of leg, matching cast off end of footpad to front seam. Fill leg carefully and oversew cast on edge closed.

Fold arms in half and join side edges together, leaving cast on edge open. Fill arms carefully and oversew opening closed.

Sew ears together in pairs of **C1** and **C2**, noting that **C1** side are inner ears. Oversew cast on edges together. Fold cast on corners of ears to centre front over inner ears and oversew in position.

Mark the side edges of the side body pieces where the cast on sts are to indicate the front edge to be sewn to the front body gusset. Sew side body pieces together along unmarked side edges from cast on to cast off edges.

Matching cast off edge of front body gusset to cast off edge of side body pieces at front sides, sew gusset in place, noting that cast on edge of body gusset will end approx halfway along cast on edge of side body pieces. Sew rem section of cast on edge of side body pieces together. Fill body and set aside.

Join side edges of head pieces together, leaving cast on edge open. Fill head and sew head to body at neck using ladder stitch, matching a seam on the head to the back seam on the body and adding filling as necessary to prevent neck from being weak.

Join side edges of muzzle together. Fold cast off edge so muzzle seam is at centre and sew cast off edges together.

Fill muzzle and position to front of face, matching bottom seam of muzzle to centre seam of face and positioning bottom edge of muzzle approx 1 cm above neck seam.

Place top edge of muzzle approx 4 cm above bottom edge of muzzle. Slip stitch muzzle in position.

Using 2 strands of black yarn, embroider nostrils on muzzle using bullion stitch. Using 4 strands of black yarn, embroider french knots for eyes on face above muzzle.

Using 1 strand of black yarn, embroider eyebrows above eyes using straight sts.


Oversew ears in position on top of head, with fold facing to back of head.

Oversew arms to side of body, just below neck. Oversew legs to bottom of body, checking that horse will sit before securing legs in place.

Using a piece of cardboard 15 cm wide, make a thick tassel for tail using **C1**. Sew securely in position to back of horse, checking tail position does not impede horse's ability to sit before securing. Cut remaining **C1** into 12 cm lengths. Using a crochet hook, attach strands in pairs as for a scarf fringe to top and back of head between ears for mane. Trim strands to desired length.

STRAIGHT STITCH EMBROIDERY


Bring the thread through on the stitch line, then take a small backward stitch through the fabric. Bring the needle through again a little in front of the first stitch, take another stitch, inserting the needle at the point where it first came through.



SATIN STITCH EMBROIDERY


Bring the thread up through the fabric at the required position. Insert the needle over and down into the fabric the required distance away and draw the thread through so the stitch sits flat. Bring the needle up through the fabric and then down into the fabric closely beside the first stitch, drawing the thread again, so the stitch sits flat.

Repeat these movements making sure to keep an even edge.



SEWING IN ENDS

1. Thread the end of the yarn into the eye of a wool needle and weave in small alternating stitches along the side edge of your work for approximately 5cm. Take care to insert the needle between stitches and not to pull too tightly.



2. Turn and work backwards, alternating over the spaces just worked. Now you can safely clip the yarn close to the edge if work.



TIPS FOR MAKING TOYS

- Leave long tails on pieces and use these to sew seams for toy. It helps to maintain the integrity of the toy fabric.
- Do not trim ends too short or they will work loose over time - instead sink the yarn tail by sewing through the toy several times, taking care to not pull too hard and make dimples (unless you want them) before trimming thread carefully.
- Add labels to each piece as you make them to make it easier to identify each part when making up your toy.
- A long doll maker's needle is useful for sculpturing faces and attaching limbs to bodies.

 **Patons**

Style 6 Stripe Sweater

SKILL LEVEL

Easy



MEASUREMENTS

Abbreviations – see page 8

| Months | | 0 | 3 | 6 | 9 | 12 | 18 |
|-------------------------------------|-----|----|----|-----|-----|-----|-----|
| To Fit Underarm | cm | 35 | 40 | 45 | 47 | 50 | 53 |
| | ins | 14 | 16 | 18 | 18½ | 19½ | 21 |
| Actual Size (approx at underarm) | cm | 38 | 43 | 49 | 51 | 55 | 58 |
| | ins | 15 | 17 | 19½ | 20 | 21½ | 23 |
| Length (approx) | cm | 21 | 25 | 28 | 30 | 32 | 34 |
| | ins | 8 | 10 | 11 | 12 | 12½ | 13½ |
| Sleeve Length (approx) | cm | 11 | 14 | 16 | 17 | 18 | 19 |
| | ins | 4½ | 5½ | 6½ | 6½ | 7 | 7½ |

PATONS YARN REQUIRED

100% COTTON 4PLY 100g balls

Garment pictured is in colours #729 (delta) and #726 (jade)

| | | | | | | |
|----------------------|---|---|---|---|---|---|
| Main Colour (MC) | 1 | 1 | 1 | 1 | 2 | 2 |
| Contrast Colour (CC) | 1 | 1 | 1 | 1 | 1 | 1 |

Use only the yarn specified - other yarns may give different results.

Quantities are approximate as they can vary between knitters.

Be sure to check the ball bands to ensure all yarn is from the same dye lot.

NEEDLES AND EXTRAS

- 1 pair each 3.25mm (UK 10) (US 3) and 2.75mm (UK 12) (US 2) Knitting Needles.
- 2 Stitch Holders.
- A Wool Needle for sewing seams.
- 2 Coats Buttons (#0872).

TENSION

With Correct Yarn and Tension, your garment will look like our photograph.

28 sts and 36 rows to 10 cm over stocking st, using 3.25mm Needles.

To work a 15 cm x 15 cm tension square, use 3.25mm Needles, cast on 42 sts. Work 54 rows stocking st. Cast off loosely.

Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

SWEATER

BACK

Using 2.75mm Needles and MC, cast on 55 (63-71-73-79-83) sts.

Knit 7 rows garter st (1st row is wrong side).

Change to 3.25mm Needles.

Beg side splits - 1st row (right side) - Knit.

2nd row - K4, purl to last 4 sts, K4.

Rep 1st and 2nd rows until work measures 6 (6-6-7-7-7) cm from beg, ending with a 2nd row, thus completing side splits.

Book 3804 - Page 22

Beg stripes - Do not break off yarn after completing each stripe, rather carry colour not in use loosely up side of work until required again.

Using CC, work 2 rows stocking st.

Using MC, work 2 rows stocking st.

Last 4 rows form stocking st stripes.

Cont in stripes until work measures approx 11 (14-16-17-18-19) cm from beg, ending with 2 rows of MC.

SHAPE ARMHOLES -

Keeping stripes correct, cast off 2 (2-3-3-3-4) sts at beg of next 2 rows ... 51 (59-65-67-73-75) sts.

Dec one st at each end of next row, then in every foll alt row 1 (1-1-1-2-2) time/s ... 47 (55-61-63-67-69) sts.

Work 1 (5-5-5-7-11) row/s, thus ending with 2 rows of CC.

Break off CC.

Using MC for rem, cont in stocking st until armhole measures 5 (6-6-7-8-9) cm, ending with a purl row. **

Work a further 18 (18-22-22-22-22) rows stocking st.

SHAPE SHOULDERS -

Cast off 4 (5-5-6-6-6) sts at beg of next 4 rows, then 3 (4-6-5-7-7) sts at beg of foll 2 rows.

Leave rem 25 (27-29-29-29-31) sts on a stitch holder.

FRONT

Work as for Back to **.

SHAPE NECK -

Next row - K16 (19-23-24-26-26), turn.

Cont on these 16 (**19-23-24-26-26**) sts.

Dec one st at neck edge in every foll alt row until 11 (**14-16-17-19-19**) sts rem.

Work 1 row.

Note - This side of neck is 6 rows less to allow for shoulder opening.

SHAPE SHOULDER -

Cast off 4 (**5-5-6-6-6**) sts at beg of next row and foll alt row.

Work 1 row. Cast off rem 3 (**4-6-5-7-7**) sts.

Slip next 15 (**17-15-15-15-17**) sts onto a stitch holder and leave.

With right side facing, join **MC** to rem sts and knit to end.

Cont on these 16 (**19-23-24-26-26**) sts.

Dec one st at neck edge in every foll alt row until 11 (**14-16-17-19-19**) sts rem.

Work 8 rows.

SHAPE SHOULDER -

Cast off 4 (**5-5-6-6-6**) sts at beg of next row and foll alt row.

Work 1 row. Cast off rem 3 (**4-6-5-7-7**) sts.

SLEEVES

Using 2.75mm Needles and **MC**, cast on 35 (**35-37-39-41-45**) sts.

Knit 7 rows garter st (1st row is wrong side).

Change to 3.25mm Needles.

Work 2 rows stocking st.

Next row - K2, **M1**, knit to last 2 sts, **M1**, K2.

Cont in stocking st (beg with a purl row), inc one st at each end of every foll - 4th (**4th-4th-4th-4th-6th**) row 3 (**3-3-4-4-3**) times ... 43 (**43-45-49-51-53**) sts.

Work 3 (**3-3-3-3-1**) row/s.

Beg stripes - Work in stocking st stripes as for Back, inc one st (as before) at each end of next (**next-next-next-next-5th**) row, then in every foll - 4th (**4th-4th-4th-4th-6th**) row until there are 47 (**49-55-59-61-63**) sts.

Cont in stripes without shaping until work measures same as Back to beg of armhole shaping, working same amount of stripes and ending with 2 rows of **MC**.

SHAPE TOP -

Keeping stripes correct, cast off 2 sts at beg of next 2 rows ... 43 (**45-51-55-57-59**) sts.

Dec one st at each end of next row, then in every foll alt row 1 (**3-3-3-5-7**) time/s ... 39 (**37-43-47-45-43**) sts.

Work 1 row, thus ending with 2 rows of **CC**.

Break off **CC**.

Using **MC** for rem, cont in stocking st, dec one st at each end of next row, then in every foll alt row until 21 (**21-25-33-29-29**) sts rem, then in every row until 11 sts rem.

Cast off.

NECKBAND

Patons recommends using Mattress Stitch Seam.

Join right shoulder seam. With right side facing, using 2.75mm Needles and **MC**, knit up 10 (**10-12-12-12-12**) sts evenly along left side of neck, knit across sts from front

stitch holder, knit up 14 (**14-16-16-16-16**) sts evenly along right side of neck, then knit across sts from back stitch holder ... 64 (**68-72-72-72-76**) sts.

Knit 6 rows garter st. Cast off knitways.

LEFT FRONT SHOULDER BAND

With right side facing, using 2.75mm Needles and **MC**, knit up 15 (**17-19-21-23-23**) sts evenly along left front shoulder and side edge of neckband.

Knit 2 rows garter st.

3rd row - K3, yfwd, K2tog, K4 (**5-6-7-8-8**), yfwd, K2tog, K4 (**5-6-7-8-8**) ... 2 buttonholes.

Knit 3 rows garter st. Cast off knitways.


LEFT BACK SHOULDER BAND

With right side facing, using 2.75mm Needles and **MC**, knit up 15 (**17-19-21-23-23**) sts evenly along side edge of neckband and left back shoulder.

Knit 6 rows garter st. Cast off knitways.

MAKE UP

Place front shoulder band over back shoulder band and oversew together at armhole edge. Join side and sleeve seams, matching stripes and noting to leave side splits open. Sew in sleeves. Sew on buttons. Sew in all ends.



NEATENING THE SIDE EDGE OF YOUR CAST-ON.

Before slipping the last cast-on stitch on to the left-hand needle, pass the yarn from back to front between the points of the two needles, then slip the stitch on to the left-hand needle. This prevents a curved edge on the last stitch.



Style 7 Doggie Toy

SKILL LEVEL

■ ■ ■ ■ Experienced

MEASUREMENTS

Abbreviations – see page 8

| | | |
|---------------------------------|-----|----|
| Height (approx, excluding ears) | cm | 36 |
| | ins | 14 |

PATONS YARN REQUIRED

100% COTTON 4PLY 100g balls

Toy pictured is in colours #740 (yellow) and #723 (nectarine)

| | |
|-----------------|---|
| 1st Colour (C1) | 1 |
| 2nd Colour (C2) | 1 |

Use only the yarn specified - other yarns may give different results.

Quantities are approximate as they can vary between knitters.

Be sure to check the ball bands to ensure all yarn is from the same dye lot.



NEEDLES AND EXTRAS

- 1 pair 2.25mm (UK 13) (US 1) Knitting Needles.
- A Wool Needle for sewing seams.
- Polyester Toy Filling.
- Small amount of black yarn for embroidery.

TENSION

With Correct Yarn and Tension, your toy will look like our photograph.

35 sts and 45 rows to 10 cm over stocking st, using 2.25mm Needles.

To work a 15 cm x 15 cm tension square, use 2.25mm Needles, cast on 52 sts. Work 68 rows stocking st. Cast off loosely.

It is also recommended to work a swatch in the pattern stitch (see below) to familiarise yourself with the pattern. Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

STITCH PATTERN (multiple of 6 sts + 1)

Cast on using **C1**.

Using **C1**, **1st row** (right side) - Knit.

2nd row - Purl.

3rd row - Knit.

4th row - Purl.

Using **C2**, **5th row** - K3, * yft, sl 1 purlways, ybk, K5, rep from * to last 4 sts, yft, sl 1 purlways, ybk, K3.

6th row - P3, * sl 1 purlways, P5, rep from * to last 4 sts, sl 1 purlways, P3.

7th row - Knit.

8th row - Purl.

Using **C1**, **9th row** - K6, * yft, sl 1 purlways, ybk, K5, rep from * to last st, K1.

10th row - P6, * sl 1 purlways, P5, rep from * to last st, P1.

11th row - Knit.

12th row - Purl.

Rows 1 to 12 incl form Stitch Pattern.

DOGGIE

Note - This instruction has been written specifically for the stitch pattern given. Using any other stitch may result in a toy that is the wrong shape or size.

Shaping is worked along side edges of body pieces.

When working in stitch pattern, incorporate new sts into pattern as they become available.

LEGS (make 2, beg at hip)

Using 2.25mm Needles and **C2**, cast on 32 sts.

Work in stocking st throughout until leg measures 9 cm from beg, ending with a purl row.

Cast on 14 sts at beg of next 2 rows ... 60 sts.

Inc one st at each end of every row until there are 70 sts, then in every foll alt row until there are 78 sts.

Cont without shaping until leg measures 14 cm from beg, ending with a purl row. Cast off.

FOOTPAD (make 2)

Using 2.25mm Needles and **C1**, cast on 6 sts.

Work in stocking st throughout, inc one st at each end of next row, then in every foll alt row until there are 16 sts, then in every foll 4th row until there are 22 sts.

Cont without shaping until footpad measures 7 cm from beg, ending with a purl row.

Dec one st at each end of every row until 12 sts rem.

Cast off.

ARMS (make 2, beg at shoulder)

Using 2.25mm Needles and **C1**, cast on 28 sts.

Work in stocking st throughout until arm measures 10 cm from beg, ending with a purl row.

Next row - * K3, inc in next st, rep from * to end ... 35 sts. Break off **C1**.

Using **C2** for rem, **Next row** - Purl.

Next row - * K4, inc in next st, rep from * to end ... 42 sts.

Cont without shaping until arm measures 14 cm from beg, ending with a purl row.

Next row - * K4, K2tog, rep from * to end ... 35 sts.

Next row - Purl.

Next row - * K3, K2tog, rep from * to end ... 28 sts.

Next row - Purl.

Next row - * K2, K2tog, rep from * to end ... 21 sts.

Next row - Purl.

Next row - * K1, K2tog, rep from * to end ... 14 sts.

Next row - * P2tog, rep from * to end ... 7 sts.

Break off yarn leaving a long end. Run end through rem sts, draw up tightly and fasten off securely.

LEFT SIDE BODY (beg at base)

Using 2.25mm Needles and **C1**, cast on 14 sts.

Note - Work in **Stitch Pattern** throughout.

1st row - Inc in first st, patt to last st, inc in last st ... 16 sts.

2nd row - Inc in first st, patt to last st, inc in last st ... 18 sts.

3rd row - Cast on 2 sts, patt to last st, inc in last st ... 21 sts.

Rep 2nd and 3rd rows 5 more times ... 46 sts.

Cont in patt without shaping until left side body measures 9 cm from beg, working last row on wrong side.

Keeping patt correct, dec one st at each end of next row, then in every foll 4th row until 28 sts rem.

Cont in patt without shaping until left side body measures 17 cm from beg, working last row on wrong side.

Cast off.

RIGHT SIDE BODY (beg at base)

Work to correspond with Left Side Body, noting to reverse all shapings.

FRONT BODY GUSSET (beg at base)

Using 2.25mm Needles and **C1**, cast on 3 sts.

Working in **Stitch Pattern** throughout, inc one st at each end of next row, then in every foll 4th row until there are 15 sts, then in every foll alt row until there are 27 sts.

Cont in patt without shaping until gusset measures 12 cm from beg, working last row on wrong side.

Keeping patt correct, dec one st at each end of next row, then in every foll 3rd row until 7 sts rem.

Cont in patt without shaping until gusset measures 20.5 cm from beg, working last row on wrong side. Cast off.

HEAD SIDE (make 4 pieces, beg at neck)

Using 2.25mm Needles and **C1**, cast on 16 sts.

Working in **Stitch Pattern** throughout, inc one st at each end of next row, then in every foll alt row until there are 26 sts.

Cont in patt without shaping until head measures 7 cm from beg, working last row on wrong side.

Keeping patt correct, dec one st at each end of next row and foll 4th row, then in every foll alt row until 14 sts rem, then in every row until 2 sts rem.

Next row - Work 2tog. Fasten off.

EARS (make 2 pieces in **C1** and 2 pieces in **C2**)

Using 2.25mm Needles, cast on 16 sts.

Work in stocking st throughout, inc one st at each end of 7th row, then in every foll 8th row until there are 22 sts.

Cont without shaping until ear measures 9 cm from beg, ending with a purl row.

Dec one st at each end of every row until 8 sts rem.

Cast off.

NOSE

Using 2.25mm Needles and **C2**, cast on 3 sts.

Knit in garter st (1st row is right side), inc one st at each end of every row until there are 7 sts.

Cont in garter st without shaping until nose measures 2.5 cm from beg, working last row on wrong side.

Dec one st at each end of every row until 3 sts rem.

Cast off.

MUZZLE

Using 2.25mm Needles and **C1**, cast on 70 sts.

Work in stocking st throughout until muzzle measures 3 cm from beg, ending with a purl row.

Next row - * K2tog, K5, rep from * to end ... 60 sts.

Next row - Purl.

Next row - * K2tog, K4, rep from * to end ... 50 sts.

Next row - Purl.

Next row - * K2tog, K3, rep from * to end ... 40 sts.

Next row - Purl.

Next row - * K2tog, K2, rep from * to end ... 30 sts.

Next row - Purl. Cast off.

TAIL

Using 2.25mm Needles and **C2**, cast on 16 sts.

Work in stocking st throughout until tail measures 5 cm from beg, ending with a purl row.

Next row - * K2, K2tog, rep from * to end ... 12 sts.

Work 3 rows stocking st, beg with a purl row.

Dec one st at each end of next row, then in every foll 4th row until 6 sts rem.

Break off yarn leaving a long end. Run end through rem sts, draw up tightly and fasten off securely.

MAKE UP

Patons recommends using Mattress Stitch Seam, unless otherwise stated.

Fold legs in half and join side edges together to form front leg and upper foot seam, leaving top and bottom edges open. Sew footpad to cast off edge of leg, matching cast off end of footpad to front seam. Fill leg carefully and oversew cast on edge closed.

Fold arms in half and join side edges together, leaving cast on edge open. Fill arms carefully and oversew opening closed.

Sew ears together in pairs of **C1** and **C2**, noting that **C1** side are inner ears. Oversew cast on edges together.

Fold tail in half and join side edges together. Oversew cast on edge closed.

Mark the side edges of the side body pieces where the cast on sts are to indicate the front edge to be sewn to the front body gusset. Sew side body pieces together along

unmarked side edges from cast on to cast off edges. Matching cast off edge of front body gusset to cast off edge of side body pieces at front sides, sew gusset in place, noting that cast on edge of body gusset will end approx halfway along cast on edge of side body pieces. Sew rem section of cast on edge of side body pieces together. Fill body and set aside.

Join side edges of head pieces together, leaving cast on edge open. Fill head and sew head to body at neck using ladder stitch, matching a seam on the head to the back seam on the body and adding filling as necessary to prevent neck from being weak.

Join side edges of muzzle together. Fold cast off edge so muzzle seam is at centre and sew cast off edges together. Fill muzzle and position to front of face, matching bottom seam of muzzle to centre seam of face and positioning bottom edge of muzzle approx 1 cm above neck seam. Place top edge of muzzle approx 4 cm above bottom edge of muzzle. Slip stitch muzzle in position.

Slip stitch nose in place on muzzle, positioning nose so that bottom edge of nose partially covers seam on muzzle.

Using black yarn, embroider mouth under nose using straight sts. Using 4 strands of black yarn, embroider french knots for eyes on face above muzzle. Embroider eyebrows using black yarn and straight sts.


Oversew ears in position on top of head so that **C1** ears are flat against head.

Oversew arms to side of body, just below neck. Oversew legs to bottom of body, checking that doggie will sit before securing legs in place. Oversew tail in place on back of body, checking tail position does not impede doggie's ability to sit before securing.

SEWING SET - IN SLEEVES

Patons recommends using safety pins to join seams. Firstly, using a wool needle and Mattress Stitch Seam, join shoulder seams of garment Back to Front/s, join side seams of garment and join sleeve seams.

With sleeve folded in half, determine the centre of the sleeve top. Pin centre of sleeve top to shoulder seam. Pin underarm seam of sleeve to underarm seam of garment. Ease sides of sleeve top into armhole opening, pinning evenly into position. Sew in sleeve. Repeat with other sleeve (see diagram below).



CASTING ON IN 1 X 1 RIB

This method gives a neat and elastic edge, but is ONLY suitable for 1 x 1 Rib Bands.

Be sure to check the first row of the rib reads - K2, * P1, K1, rep from * to last st, K1. If so, then continue -

Make a slip knot and place it on the left needle. Insert the right needle into the loop knitways and knit a stitch, then slip this onto the left needle.

****** Insert the right needle between the last 2 stitches purlways and purl a stitch, then slip this onto the left needle - taking care not to twist the stitch. Insert the right needle between the last 2 stitches knitways and knit a stitch, then slip this onto the left needle. Repeat from ****** for the required number of stitches, working the last stitch knitways.



Style 8 Slip Stitch Cardigan

SKILL LEVEL

Easy

MEASUREMENTS

Abbreviations – see page 8

| Months | | 0 | 3 | 6 | 9 | 12 | 18 |
|-------------------------------------|-----|----|----|-----|-----|-----|-----|
| To Fit Underarm | cm | 35 | 40 | 45 | 47 | 50 | 53 |
| | ins | 14 | 16 | 18 | 18½ | 19½ | 21 |
| Actual Size (approx at underarm) | cm | 38 | 43 | 49 | 51 | 55 | 58 |
| | ins | 15 | 17 | 19½ | 20 | 21½ | 23 |
| Length | cm | 21 | 25 | 28 | 30 | 32 | 34 |
| | ins | 8 | 10 | 11 | 12 | 12½ | 13½ |
| Sleeve Length | cm | 11 | 13 | 15 | 16 | 17 | 19 |
| | ins | 4½ | 5 | 6 | 6½ | 6½ | 7½ |

PATONS YARN REQUIRED

100% COTTON 4PLY 100g balls

Garment pictured is in colours #723 (nectarine) and #740 (yellow)

| | | | | | | |
|----------------------|---|---|---|---|---|---|
| Main Colour (MC) | 1 | 1 | 1 | 2 | 2 | 2 |
| Contrast Colour (CC) | 1 | 1 | 1 | 2 | 2 | 2 |

Use only the yarn specified - other yarns may give different results.

Quantities are approximate as they can vary between knitters.

Be sure to check the ball bands to ensure all yarn is from the same dye lot.



NEEDLES AND EXTRAS

- 1 pair each 3.25mm (UK 10) (US 3) and 2.75mm (UK 12) (US 2) Knitting Needles.
- 1 Stitch Holder.
- A Wool Needle for sewing seams.
- 5 (6-6-6-6-7) Coats Buttons (#0872).

TENSION

With Correct Yarn and Tension, your garment will look like our photograph.

28 sts and 36 rows to 10 cm over stocking st, using 3.25mm Needles.

To work a 15 cm x 15 cm tension square, use 3.25mm Needles, cast on 42 sts. Work 54 rows stocking st. Cast off loosely.

Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

CARDIGAN

BACK

Using 2.75mm Needles and MC, cast on 55 (63-71-73-79-85) sts.

Knit 9 rows garter st (1st row is wrong side).

Change to 3.25mm Needles.

Beg stripes - Do not break off yarn after completing each stripe, rather carry colour not in use loosely up side of work until required again.

Using CC, work 4 rows stocking st, beg with a knit row.

Beg patt - This instruction has been written specifically for the stitch pattern given. Using any other stitch may result in a garment that is the wrong shape or size.

Using MC, **1st row** (right side) - K3 (4-5-3-3-3), * ybk, sl 1 purlways, K5, rep from * to last 4 (5-6-4-4-4) sts, ybk, sl 1 purlways, K3 (4-5-3-3-3).

2nd row - P3 (4-5-3-3-3), * sl 1 purlways, P5, rep from * to last 4 (5-6-4-4-4) sts, sl 1 purlways, P3 (4-5-3-3-3).

3rd row - Knit.

4th row - Purl.

Using CC, **5th row** - K6 (1-2-6-6-6), * ybk, sl 1 purlways, K5, rep from * to last 1 (2-3-1-1-1) st/s, (ybk, sl 1 purlways) 0 (1-1-0-0-0) time/s, K1 (1-2-1-1-1).

6th row - P6 (1-2-6-6-6), * sl 1 purlways, P5, rep from * to last 1 (2-3-1-1-1) st/s, (sl 1 purlways) 0 (1-1-0-0-0) time/s, P1 (1-2-1-1-1).

7th row - Knit.

8th row - Purl.

Rows 1 to 8 incl form patt.

Cont in patt and stripes until work measures 11 (14-16-17-19-20) cm from beg, working last row on wrong side.

SHAPE ARMHOLES -

Keeping patt and stripes correct, cast off 2 (2-3-3-3-4) sts at beg of next 2 rows ... 51 (59-65-67-73-77) sts.

Dec one st at each end of next row, then in every foll alt row until 47 (55-61-63-67-69) sts rem.

Cont in patt and stripes without shaping until **armhole** measures 10 (11-12-13-13-14) cm, working last row on wrong side.

SHAPE SHOULDERS -

Cast off 4 (5-5-6-6-6) sts at beg of next 4 rows, then 3 (4-6-5-7-7) sts at beg of foll 2 rows.

Leave rem 25 (27-29-29-29-31) sts on a stitch holder.

LEFT FRONT

Using 2.75mm Needles and **MC**, cast on 27 (31-35-37-39-43) sts.

Knit 9 rows garter st (1st row is wrong side).

Change to 3.25mm Needles.

Using **CC**, work 4 rows stocking st, beg with a knit row. **

Beg patt - Using **MC**, **1st row** (right side) - K3 (4-5-3-3-3), * ybk, sl 1 purlways, K5, rep from * to last 0 (3-0-4-0-4) sts, (ybk, sl 1 purlways) 0 (1-0-1-0-1) time/s, K0 (2-0-3-0-3).

2nd row - P0 (2-0-3-0-3), (sl 1 purlways) 0 (1-0-1-0-1) time/s, * P5, sl 1 purlways, rep from * to last 3 (4-5-3-3-3) sts, P3 (4-5-3-3-3).

3rd row - Knit.

4th row - Purl.

Using **CC**, **5th row** - K6 (1-2-6-6-6), * ybk, sl 1 purlways, K5, rep from * to last 3 (0-3-1-3-1) st/s, (ybk, sl 1 purlways) 1 (0-1-0-1-0) time/s, K2 (0-2-1-2-1).

6th row - P2 (0-2-1-2-1), (sl 1 purlways) 1 (0-1-0-1-0) time/s, * P5, sl 1 purlways, rep from * to last 6 (1-2-6-6-6) st/s, P6 (1-2-6-6-6).

7th row - Knit.

8th row - Purl. Rows 1 to 8 incl form patt.

Cont in patt and stripes until work measures same as Back to beg of armhole shaping, ending with same patt row.

SHAPE ARMHOLE -

Keeping patt and stripes correct, cast off 2 (2-3-3-3-4) sts at beg of next row ... 25 (29-32-34-36-39) sts.

Dec one st at armhole edge in every foll alt row until 23 (27-30-32-33-35) sts rem.

Cont in patt and stripes without shaping until **armhole** measures 5 (5-5-6-6-6) cm **less** than Back to beg of shoulder shaping, working last row on wrong side.

Work 1 row patt.

SHAPE NECK -

Next row (wrong side) - Cast off 6 (7-7-7-7-8) sts, patt to end ... 17 (20-23-25-26-27) sts.

Dec one st at neck edge in every row until 12 (15-18-20-23-22) sts rem, then in every foll alt row until 11 (14-16-17-19-19) sts rem.

Cont in patt and stripes without shaping until **armhole** measures same as Back to beg of shoulder shaping, ending with same patt row.

SHAPE SHOULDER -

Cast off 4 (5-5-6-6-6) sts at beg of next row and foll alt row. Work 1 row. Cast off rem 3 (4-6-5-7-7) sts.

RIGHT FRONT

Work as for Left Front to **.

Beg patt - Using **MC**, **1st row** (right side) - K0 (2-0-3-0-3), (ybk, sl 1 purlways) 0 (1-0-1-0-1) time/s, * K5, ybk, sl 1 purlways, rep from * to last 3 (4-5-3-3-3) sts, K3 (4-5-3-3-3).

2nd row - P3 (4-5-3-3-3), * sl 1 purlways, P5, rep from * to last 0 (3-0-4-0-4) sts, (sl 1 purlways) 0 (1-0-1-0-1) time/s, P0 (2-0-3-0-3).

3rd row - Knit.

4th row - Purl.

Using **CC**, **5th row** - K2 (0-2-1-2-1), (ybk, sl 1 purlways) 1 (0-1-0-1-0) time/s, * K5, ybk, sl 1 purlways, rep from * to last 6 (1-2-6-6-6) st/s, K6 (1-2-6-6-6).

6th row - P6 (1-2-6-6-6), * sl 1 purlways, P5, rep from * to last 3 (0-3-1-3-1) st/s, (sl 1 purlways) 1 (0-1-0-1-0) time/s, P2 (0-2-1-2-1).

7th row - Knit.

8th row - Purl.

Rows 1 to 8 incl form patt.

Cont in patt and stripes until work measures same as Back to beg of armhole shaping, ending with same patt row.

Work 1 row patt.

SHAPE ARMHOLE -

Keeping patt and stripes correct, cast off 2 (2-3-3-3-4) sts at beg of next row ... 25 (29-32-34-36-39) sts.

Dec one st at armhole edge in next row, then in every foll alt row until 23 (27-30-32-33-35) sts rem.

Cont in patt and stripes without shaping until **armhole** measures 5 (5-5-6-6-6) cm **less** than Back to beg of shoulder shaping, working last row on wrong side.

SHAPE NECK -

Next row (right side) - Cast off 6 (7-7-7-7-8) sts, patt to end ... 17 (20-23-25-26-27) sts.

Work 1 row patt.

Dec one st at neck edge in every row until 12 (15-18-20-23-22) sts rem, then in every foll alt row until 11 (14-16-17-19-19) sts rem.

Cont in patt and stripes without shaping until **armhole** measures same as Back to beg of shoulder shaping, ending with same patt row.

Work 1 row patt.

SHAPE SHOULDER -

Cast off 4 (5-5-6-6-6) sts at beg of next row and foll alt row. Work 1 row. Cast off rem 3 (4-6-5-7-7) sts.

LEFT SLEEVE

Using 2.75mm Needles and **MC**, cast on 35 (35-37-39-41-45) sts.

Knit 9 rows garter st (1st row is wrong side). Break off **MC**. Change to 3.25mm Needles.

Using **CC** for rem, work 2 rows stocking st.

Next row - K2, **M1**, knit to last 2 sts, **M1**, K2.

Cont in stocking st (beg with a purl row), inc one st at each end of every foll - 4th (4th-4th-4th-4th-6th) row until there are 47 (49-55-59-61-63) sts.

Cont without shaping until work measures 11 (13-15-16-17-19) cm from beg, ending with a purl row.

SHAPE TOP -

Cast off 2 sts at beg of next 2 rows ... 43 (45-51-55-57-59) sts.

Dec one st at each end of next row, then in every foll alt row until 21 (**21-25-33-37-33**) sts rem, then in every row until 11 sts rem. Cast off.

RIGHT SLEEVE

Work to correspond with Left Sleeve using **CC** instead of **MC** and **MC** instead of **CC**, thus reversing colours.

NECKBAND

Patons recommends using Mattress Stitch Seam.

Join shoulder seams. With right side facing, using 2.75mm Needles and **MC**, knit up 20 (**22-22-24-24-26**) sts evenly along right side of neck, knit across sts from back stitch holder, then knit up 20 (**22-22-24-24-26**) sts evenly along left side of neck ... 65 (**71-73-77-77-83**) sts.

Knit 9 rows garter st. Cast off knitways.

RIGHT FRONT BAND

With right side facing, using 2.75mm Needles and **MC**, knit up 56 (**68-73-73-78-86**) sts evenly along right front edge and side edge of neckband.

For Girl - Knit 3 rows garter st.

4th row - K3, cast off 2 sts, * K10 (**10-11-11-12-11**), cast off 2 sts, rep from * to last 3 sts, K3.

5th row - K3, **turn**, cast on 2 sts, **turn**, * K10 (**10-11-11-12-11**), **turn**, cast on 2 sts, **turn**, rep from * to last 3 sts, K3 ... 5 (**6-6-6-6-7**) buttonholes in all.

Knit 4 rows garter st. Cast off knitways.

For Boy - Knit 9 rows garter st. Cast off knitways.

LEFT FRONT BAND

With right side facing, using 2.75mm Needles and **MC**, knit up 56 (**68-73-73-78-86**) sts evenly along side edge of neckband and left front edge.

For Boy - Knit 3 rows garter st.

4th row - K3, cast off 2 sts, * K10 (**10-11-11-12-11**), cast off 2 sts, rep from * to last 3 sts, K3.


5th row - K3, **turn**, cast on 2 sts, **turn**, * K10 (**10-11-11-12-11**), **turn**, cast on 2 sts, **turn**, rep from * to last 3 sts, K3 ... 5 (**6-6-6-6-7**) buttonholes in all.

Knit 4 rows garter st. Cast off knitways.

For Girl - Knit 9 rows garter st. Cast off knitways.

MAKE UP

Join side seams, matching stripes. Join sleeve seams. Sew in sleeves. Sew on buttons. Sew in all ends.



TASSELS

To make a tassel, cut a piece of cardboard to the finished length of the tassel you wish to make.

1



Wind yarn (closely together) around cardboard to desired tassel thickness. Clip yarn approx. 20cm from tassel and thread this through a wool needle. Slip needle under all strands along one side of cardboard and tie a knot securely near the strands. (This yarn can be used to attach the tassel to your item when tassel is complete).

2



Remove cardboard. Cut a separate piece of yarn approx. 60cm long. Using yarn double, wrap tightly below top knot to secure strands. Hold firmly and thread ends onto wool needle. Pull end to centre of tassel and clip close to tassel. Cut the strands on the lower edge of tassel as pictured.

3



Trim tassel ends evenly.

Style 9 Panda Toy

SKILL LEVEL

Intermediate

MEASUREMENTS

Abbreviations – see page 8

| | | |
|---------------------------------|-----|----|
| Height (approx, excluding ears) | cm | 36 |
| | ins | 14 |

PATONS YARN REQUIRED

100% COTTON 4PLY 100g balls

Toy pictured is in colours #712 (black) and #691 (white)

| | |
|-----------------|---|
| 1st Colour (C1) | 1 |
| 2nd Colour (C2) | 1 |

Use only the yarn specified - other yarns may give different results.

Quantities are approximate as they can vary between knitters.

Be sure to check the ball bands to ensure all yarn is from the same dye lot.



NEEDLES AND EXTRAS

- 1 pair 2.25mm (UK 13) (US 1) Knitting Needles.
- A Wool Needle for sewing seams.
- Polyester Toy Filling.
- Length of Ribbon.

TENSION

With Correct Yarn and Tension, your toy will look like our photograph.

35 sts and 45 rows to 10 cm over stocking st, using 2.25mm Needles.

To work a 15 cm x 15 cm tension square, use 2.25mm Needles, cast on 52 sts. Work 68 rows stocking st. Cast off loosely.

Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

PANDA

LEGS (make 2, beg at hip)

Using 2.25mm Needles and **C1**, cast on 32 sts.

Work in stocking st throughout until leg measures 9 cm from beg, ending with a purl row.

Cast on 14 sts at beg of next 2 rows ... 60 sts.

Inc one st at each end of every row until there are 70 sts, then in every foll alt row until there are 78 sts.

Cont without shaping until leg measures 14 cm from beg, ending with a purl row. Cast off.

FOOTPAD (make 2)

Using 2.25mm Needles and **C2**, cast on 6 sts.

Work in stocking st throughout, inc one st at each end of next row, then in every foll alt row until there are 16 sts, then in every foll 4th row until there are 22 sts.

Cont without shaping until footpad measures 7 cm from beg, ending with a purl row.

Dec one st at each end of every row until 12 sts rem. Cast off.

ARMS (make 2, beg at shoulder)

Using 2.25mm Needles and **C1**, cast on 28 sts.

Work in stocking st throughout until arm measures 10 cm from beg, ending with a purl row.

Next row - * K3, inc in next st, rep from * to end ... 35 sts.

Next row - Purl.

Next row - * K4, inc in next st, rep from * to end ... 42 sts.

Cont without shaping until arm measures 14 cm from beg, ending with a purl row.

Next row - * K4, K2tog, rep from * to end ... 35 sts.

Next row - Purl.

Next row - * K3, K2tog, rep from * to end ... 28 sts.

Next row - Purl.

Next row - * K2, K2tog, rep from * to end ... 21 sts.

Next row - Purl.

Next row - * K1, K2tog, rep from * to end ... 14 sts.

Next row - * P2tog, rep from * to end ... 7 sts.

Break off yarn leaving a long end. Run end through rem sts, draw up tightly and fasten off securely.

LEFT SIDE BODY (beg at base)

Using 2.25mm Needles and **C2**, cast on 14 sts.

1st row - Inc knitways in first st, knit to last st, inc knitways in last st ... 16 sts.

2nd row - Inc purlways in first st, purl to last st, inc purlways in last st ... 18 sts.

3rd row - Cast on 2 sts, knit to last st, inc knitways in last st ... 21 sts.

Rep 2nd and 3rd rows 5 more times ... 46 sts.

Cont in stocking st (beg with a purl row) without shaping until left side body measures 9 cm from beg, ending with a purl row. Break off **C2**.

Using **C1** for rem, dec one st at each end of next row, then in every foll 4th row until 28 sts rem.

Cont without shaping until left side body measures 17 cm from beg, ending with a purl row. Cast off.

RIGHT SIDE BODY (beg at base)

Work to correspond with Left Side Body, noting to reverse all shapings.

FRONT BODY GUSSET (beg at base)

Using 2.25mm Needles and **C2**, cast on 3 sts.
Working in stocking st throughout, inc one st at each end of next row, then in every foll 4th row until there are 15 sts, then in every foll alt row until there are 27 sts.
Cont without shaping until gusset measures 12 cm from beg, ending with a purl row. Break off **C2**.
Using **C1** for rem, dec one st at each end of next row, then in every foll 3rd row until 7 sts rem.
Cont without shaping until gusset measures 20.5 cm from beg, ending with a purl row. Cast off.

HEAD SIDE (make 4 pieces, beg at neck)

Using 2.25mm Needles and **C2**, cast on 16 sts.
Working in stocking st throughout, inc one st at each end of next row, then in every foll alt row until there are 26 sts.
Cont without shaping until head measures 7 cm from beg, ending with a purl row.
Dec one st at each end of next row and foll 4th row, then in every foll alt row until 14 sts rem, then in every row until 2 sts rem.

Next row - Work 2tog. Fasten off.

EARS (make 4 pieces)

Using 2.25mm Needles and **C1**, cast on 16 sts.
Work in stocking st throughout until ear measures 3 cm from beg, ending with a purl row.
Dec one st at each end of every row until 8 sts rem.
Cast off.

EYE PATCHES (make 2)

Using 2.25mm Needles and **C1**, cast on 3 sts.
Work in stocking st throughout, inc one st at each end of every row until there are 7 sts.
Cont without shaping until eye patch measures 2.5 cm from beg, ending with a purl row.
Dec one st at each end of next row and foll alt row ... 3 sts.
Next row - Purl.
Next row - K3tog. Fasten off.

TAIL

Using 2.25mm Needles and **C1**, cast on 30 sts.
Work in stocking st throughout until tail measures 3 cm from beg, ending with a purl row.
Next row - * K3, K2tog, rep from * to end ... 24 sts.
Next row - Purl.
Next row - * K2, K2tog, rep from * to end ... 18 sts.
Next row - Purl.
Next row - * K1, K2tog, rep from * to end ... 12 sts.
Next row - * P2tog, rep from * to end ... 6 sts.

Break off yarn leaving a long end. Run end through rem sts, draw up tightly and fasten off securely.

MAKE UP

Patons recommends using Mattress Stitch Seam, unless otherwise stated.

Fold legs in half and join side edges together to form front leg and upper foot seam, leaving top and bottom edges open. Sew footpad to cast off edge of leg, matching cast off end of footpad to front seam. Fill leg carefully and oversew cast on edge closed.

Fold arms in half and join side edges together, leaving cast on edge open. Fill arms carefully and oversew opening closed.

Sew ears together in pairs. Oversew cast on edges together.

Fold tail in half and join side edges together. Oversew cast on edge closed.

Mark the side edges of the side body pieces where the cast on sts are to indicate the front edge to be sewn to the front body gusset. Sew side body pieces together along unmarked side edges from cast on to cast off edges.

Matching cast off edge of front body gusset to cast off edge of side body pieces at front sides, sew gusset in place, noting that cast on edge of body gusset will end approx halfway along cast on edge of side body pieces. Sew rem section of cast on edge of side body pieces together. Fill body and set aside.

Join side edges of head pieces together, leaving cast on edge open. Fill head and sew head to body at neck using ladder stitch, matching a seam on the head to the back seam on the body and adding filling as necessary to prevent neck from being weak.

Oversew arms to side of body, just below neck. Oversew legs to bottom of body, checking that panda will sit before securing legs in place. Oversew tail in place on back of body, checking tail position does not impede panda's ability to sit before securing.

Slip stitch eye patches in position on front of head. Oversew ears to seams along side edges of head. Using 4 strands of **C2**, embroider french knots for eye pupils. Using **C1**, embroider nose using satin stitch and mouth using straight sts. Tie ribbon around neck and tie in a bow at front.

TIP - NEATENING BUTTONHOLES

When working the cast-on row of a 'standard' buttonhole, before slipping the last cast-on stitch onto the left-hand needle, pass the yarn from back to front between the needles, then slip the stitch onto the left-hand needle, turn and complete the row.

Alternatively, when working the row after the buttonhole has been completed, with right-hand needle, pick up purlways the loose thread (or threads) at the base of the buttonhole, slip it/them onto the left-hand needle and work together with the first stitch on left-hand needle.

Style 10 Hoodie Vest

SKILL LEVEL

Easy



MEASUREMENTS

Abbreviations – see page 8

| Months | | 0 | 3 | 6 | 9 | 12 | 18 |
|-------------------------------------|-----|----|----|-----|-----|-----|-----|
| To Fit Underarm | cm | 35 | 40 | 45 | 47 | 50 | 53 |
| | ins | 14 | 16 | 18 | 18½ | 19½ | 21 |
| Actual Size (approx at underarm) | cm | 38 | 43 | 49 | 51 | 55 | 58 |
| | ins | 15 | 17 | 19½ | 20 | 21½ | 23 |
| Length (approx) | cm | 19 | 23 | 26 | 28 | 30 | 32 |
| | ins | 7½ | 9 | 10 | 11 | 12 | 12½ |

PATONS YARN REQUIRED

100% COTTON 4PLY 100g balls

Garment pictured is in colours #712 (black) and #691 (white)

| | | | | | | |
|----------------------|---|---|---|---|---|---|
| Main Colour (MC) | 1 | 1 | 1 | 2 | 2 | 2 |
| Contrast Colour (CC) | 1 | 1 | 1 | 1 | 1 | 1 |

Use only the yarn specified - other yarns may give different results.

Quantities are approximate as they can vary between knitters.

Be sure to check the ball bands to ensure all yarn is from the same dye lot.

NEEDLES AND EXTRAS

- 1 pair each 3.25mm (UK 10) (US 3) and 2.75mm (UK 12) (US 2) Knitting Needles.
- A Wool Needle for sewing seams.

TENSION

With Correct Yarn and Tension, your garment will look like our photograph.

28 sts and 36 rows to 10 cm over stocking st, using 3.25mm Needles.

To work a 15 cm x 15 cm tension square, use 3.25mm Needles, cast on 42 sts. Work 54 rows stocking st. Cast off loosely.

Please check your tension carefully. If less sts use smaller needles, if more sts use bigger needles.

VEST

BACK

Using 2.75mm Needles and **MC**, cast on 55 (**63-71-73-79-83**) sts.

Knit 9 rows garter st (1st row is wrong side).

Change to 3.25mm Needles.

Beg side splits - 1st row (right side) - Knit.

2nd row - K4, purl to last 4 sts, K4.

Rep 1st and 2nd rows until work measures 5 (**6-6-7-7-7**) cm from beg, ending with a 2nd row, thus completing side splits.

Work in stocking st until work measures 7 (**8-9-10-11-12**) cm from beg, ending with a purl row. Break off **MC**.

Book 3804 - Page 32

Using **CC**, work in stocking st until work measures 9 (**12-14-15-16-17**) cm from beg, ending with a purl row.

SHAPE ARMHOLES -

Cast off 2 (**2-3-3-3-4**) sts at beg of next 2 rows ... 51 (**59-65-67-73-75**) sts.

Dec one st at each end of next row, then in every foll alt row until 47 (**55-61-63-67-69**) sts rem.

Work 5 (**5-5-5-3-3**) rows without shaping. Break off **CC**. **

Using **MC** for rem, cont in stocking st until **armhole** measures 10 (**11-12-13-14-15**) cm, ending with a purl row.

SHAPE SHOULDERS -

Cast off 4 (**5-5-6-6-6**) sts at beg of next 4 rows, then 3 (**4-6-5-7-7**) sts at beg of foll 2 rows.

Cast off rem 25 (**27-29-29-29-31**) sts.

FRONT

Work as for Back to **.

DIVIDE FOR FRONT OPENING -

Using **MC** for rem, **Next row** (right side) - K23 (**27-30-31-33-34**), **turn**.

Cont on these 23 (**27-30-31-33-34**) sts.

Next row - K5, purl to end.

Next row - Knit.

Rep last 2 rows until work measures 4 (**4-4-4-5-5**) cm **less** than Back to beg of shoulder shaping, ending with a purl row. Work 1 row.

SHAPE NECK -

Next row (wrong side) - Cast off 6 (**7-7-7-7-8**) sts, purl to end ... 17 (**20-23-24-26-26**) sts.

Dec one st at neck edge in every row until 11 (**14-16-17-19-19**) sts rem.

Cont without shaping until **armhole** measures same as Back to beg of shoulder shaping, ending with a purl row.

SHAPE SHOULDER -

Cast off 4 (**5-5-6-6-6**) sts at beg of next row and foll alt row. Work 1 row. Cast off rem 3 (**4-6-5-7-7**) sts.

With right side facing, join **MC** to rem sts, K2tog, knit to end.

Cont on these 23 (**27-30-31-33-34**) sts.

Next row (wrong side) - Purl to last 5 sts, K5.

Next row - Knit.

Rep last 2 rows until work measures 4 (**4-4-4-5-5**) cm **less** than Back to beg of shoulder shaping, ending with a purl row.

SHAPE NECK -

Next row (right side) - Cast off 6 (**7-7-7-7-8**) sts, knit to end ... 17 (**20-23-24-26-26**) sts.

Work 1 row.

Dec one st at neck edge in every row until 11 (**14-16-17-19-19**) sts rem.

Cont without shaping until **armhole** measures same as Back to beg of shoulder shaping, ending with a purl row.

Work 1 row.

SHAPE SHOULDER -

Cast off 4 (**5-5-6-6-6**) sts at beg of next row and foll alt row. Work 1 row. Cast off rem 3 (**4-6-5-7-7**) sts.

HOOD

Using 2.75mm Needles and **MC**, cast on 104 (**118-132-140-146-148**) sts.

Knit 9 rows garter st (1st row is wrong side).

Change to 3.25mm Needles.

Using **CC**, work 10 (**10-12-12-10-10**) rows stocking st.

Using **MC**, work 10 (**10-12-12-10-10**) rows stocking st.

Using **CC**, work 10 (**10-12-12-10-10**) rows stocking st.

Sizes 0, 3, 6 and 9 months Only - Using **MC** for rem, work 2 (**2-4-4**) rows stocking st.

Sizes 12 and 18 months Only - Using **MC**, work 10 rows stocking st.

Using **CC** for rem, work 2 rows stocking st.

All Sizes - SHAPE BACK OF HOOD -

Next row - K52 (**59-66-70-73-74**), **turn**.

*** Cont on these 52 (**59-66-70-73-74**) sts and dec one st at inside edge in every row until 45 (**52-59-63-66-67**) sts rem. Cast off. ***

With right side facing, join yarn to rem sts and knit to end.

Rep from *** to ***.

ARMHOLE BANDS


Patons recommends using Mattress Stitch Seam.

Join shoulder seams. With right side facing, using 2.75mm Needles and **MC**, knit up 60 (**66-74-78-84-92**) sts evenly along armhole edge.

Knit 7 rows garter st. Cast off knitways.

MAKE UP

Join side and armhole band seams, noting to leave side splits open. Fold hood in half (noting that cast on edge is face end of hood), join centre back seam and shaped edge, matching stripes. Sew hood to neck edge, beg and ending at front edges and easing any extra fullness to back neck. Sew in all ends.



PICKING UP DROPPED STITCHES

A dropped stitch can be picked up easily with a crochet hook, even if it has unravelled several rows down.



To pick up knit stitches of stocking stitch, insert the crochet hook into the dropped stitch, draw through the bar lying above the dropped stitch and pull it through the loop of the dropped stitch as in the diagram.

JOINING IN YARN

Never tie knots in the middle of a row. It's amazing how they always seem to work their way to the front, making your knitting look uneven and messy. Leave approximately 15 cm of yarn at the beginning and end of your work. This is long enough to easily thread a wool needle to sew the ends into the seam.

With yarn from a new ball, leave 15 cm and begin working the next row of pattern. After working a few stitches, tie the two ends together in a loose knot at the side of the work. These ends should be sewn in later.



www.coatscrafts.co.uk

for all the up-to-date news, designs,
product information and ideas

NEEDLE CONVERSION

| Metric Sizes | Imperial Sizes | US Sizes |
|--------------|----------------|----------|
| 1.75 | 15 | - |
| 2.00 | 14 | 0 |
| 2.25 | 13 | 1 |
| 2.75 | 12 | 2 |
| 3.00 | 11 | - |
| 3.25 | 10 | 3 |
| 3.50 | - | 4 |
| 3.75 | 9 | 5 |
| 4.00 | 8 | 6 |
| 4.50 | 7 | 7 |
| 5.00 | 6 | 8 |
| 5.50 | 5 | 9 |
| 6.00 | 4 | 10 |
| 6.50 | 3 | 10½ |
| 7.00 | 2 | - |
| 7.50 | 1 | - |
| 8.00 | 0 | 11 |
| 9.00 | 00 | 13 |
| 10.00 | 000 | 15 |
| 12.75 | - | 17 |
| 15.00 | - | 19 |
| 19.00 | - | 35 |
| 25.00 | - | 50 |

FRINGES

Cut cardboard to desired width, noting that if the instructions specify 30 cm lengths, then the cardboard should be at least 15 cm wide, to allow for stretch of yarn. Wind yarn around cardboard and cut along one edge.

With right side of work facing, using a crochet hook, insert hook from wrong side of work through to right side of work, using the number of strands of yarn specified (diagram shows 3 strands), fold yarn in half around crochet hook and draw the loops through. Insert the ends of yarn through these loops and pull firmly to form a knot.

Place each fringe evenly across edge of work. Trim ends neatly.



All our designs are protected by copyright.

No part of this leaflet may be used in any form whatsoever without the prior written permission of the publisher. This applies in particular to photocopying, translations, microfilms and the implementation of electronic processing systems in any shape or form. It is thus not permitted to scan any part of this leaflet and store in PCs or on CDs or to manipulate them in PCs/computers either individually or together with other pictures without the prior written permission of the publisher. Colour reproduction is as close as printing will allow.



Style **5**
Horse





Styles **7 & 8**

Doggie & Slip Stitch Cardigan





Styles **9 & 10**

Panda & Hoodie Vest



Patons 100% COTTON 4 PLY ...

Patons 100% Cotton 4 Ply has been a favourite yarn with discerning knitters. Using standard 3.25mm Needles, 100% Cotton 4 Ply creates a beautiful fabric with a superb sheen. This publication features 5 Garments for Babies with 5 Fabulous Toys to match.

Knitters will love the results of this quality yarn!

Keep in the Loop

to receive your free copy of our online newsletter with the latest news about our products and offers simply fill out the registration form on our website.



Coats Crafts UK,
Green Lane Mill, Holmfirth,
West Yorkshire, HD9 2DX.
England
Tel +44 (0) 1484 681881
Fax +44 (0) 1484 687920
Email - enquiries.ccuk@coats.com
www.coatscrafts.com

www.coatscrafts.co.uk



4 082700 179293 1